Barański®
DRZWI

INTERIOR VENEERED

OPTIMO DOORS

EDITION 2





a higher standard
OF DOORS

Barański®
DRZWI

TIKTOK

INSTAGRAM

Barański Doors is one of the largest woodworking manufacturers in Poland. We are wood experts, and we know almost everything there is to know about wood. For more than 30 years, in the heart of the Warmia and Masuria region, we have been crafting doors distinguished by their high quality and original design. We carefully oversee every stage of the manufacturing process and pay exceptional attention to even the smallest details. Every door collection we offer stands out in its class through its design, quality of workmanship, and innovative technological solutions.







Barański®
OPTIMO

Barański Optimo is the perfect choice of residential interior doors for customers looking for high quality at an optimal price. Drawing on our woodworking expertise, we have created doors based on engineered wood materials finished with durable synthetic veneers resistant to everyday wear and damage. Optimo models incorporate numerous features that enhance quality and ensure long-lasting durability. Their construction is based on thicker panels, while the solid timber frame and waterproof, highly durable polyurethane adhesive guarantee outstanding stability.
As standard, the doors are equipped with smooth laminated VSG safety glass and Italian-style locks. In this catalogue, we invite you to discover the Barański Doors Optimo veneered interior door collection and find inspiration for your interiors.

Ignacy Barański

WHAT SETS US APART

DESIGN

From minimalist modern designs to elegant classics, our carefully designed and extensive range of door models offers something to suit every customer's taste.



SOLID CONSTRUCTION

Flush Door Leaves

They feature an exceptionally stable and durable construction. These characteristics are achieved through a robust 90 mm solid pine frame with a particleboard core as standard. The structure is enclosed on both sides with 6 mm HDF boards, providing exceptional durability and resistance to warping. The selected materials also improve the door's acoustic insulation. The edges of the door leaf are finished with ABS edging perfectly matched to the veneer colour.



Stile and Rail Door Leaves

The door construction has been engineered to provide enhanced strength and stability. The use of thicker panels ranging from 6 mm to 22 mm, centre stiles measuring 22 mm and 35 mm, and 6 mm laminated safety glass not only improves structural performance but also significantly enhances acoustic insulation.



Detailed information about the door leaf construction is provided with each product collection.

WHAT SETS US APART

ITALIAN BONAITI LOCKS

We use locks manufactured by the Italian company BONAITI, available in both STANDARD and MAGNETIC versions. They feature a reduced visible metal surface and a centrally positioned single latch bolt. The latch is made of ABS polymer, reducing noise when closing the door. **These locks are designed exclusively for door handles with SPLIT ROSETTES.**

REBATED Version - STANDARD Lock



NON-REBATED & REVERSE-OPENING Versions - MAGNETIC Lock



MOISTURE PROTECTION

As one of the few manufacturers, we offer adjustable door frames in a moisture-resistant version. These door frames are designed for rooms exposed to elevated humidity, such as bathrooms and saunas. This option is available at an additional cost. See pages 76, 78 and 80.



DURABLE HINGES

PIN HINGES



REBATED Version

Designed for rebated doors. They are mounted in the door frame using a steel hinge pocket, ensuring exceptional durability. The hinges are adjustable. Matching aluminium hinge covers, colour-coordinated with the available door handles, are available at an additional cost. Three hinges are fitted as standard on all door widths..

3D CONCEALED HINGES



NON-REBATED Version

Available exclusively for non-rebated and reverse-opening doors. Due to their high strength, two hinges are fitted as standard on door widths “60”–“80”, while three hinges are used on door widths “90” and “100”. These hinges offer smooth 3D adjustment.



REVERSE-OPENING Version

DROP SEAL

To improve acoustic comfort, we offer additional sealing of the bottom door gap by means of an automatic drop seal. The seal automatically lowers when the door closes and retracts when it opens. This option is available at an additional cost. See page 86.

WHAT SETS US APART

SOLID TIMBER FRAME AS STANDARD

Our newly developed vertical stile construction with a solid timber core increases the door leaf's bending strength by more than 50% and more than doubles its rigidity compared to traditional MDF stiles, as confirmed by laboratory testing.



QUALITY OF WORKMANSHIP

The waterproof polyurethane adhesive completely eliminates the risk of veneer delamination. The use of wrap-around veneering technology provides a seamless finish across all door components.



6 mm VSG SAFETY GLASS AS STANDARD



SAFETY – Thanks to its laminated construction and durable interlayer, the glass remains intact when broken, preventing dangerous shards and reducing the risk of injury.

HYGIENIC – The smooth surface on both sides prevents the accumulation of microorganisms.

EASY TO CLEAN – Does not discolour and leaves no streaks during cleaning.

RESISTANT TO HOUSEHOLD CLEANING PRODUCTS – Suitable for cleaning with commonly used household cleaning agents.

SCRATCH RESISTANT – The smooth, hard surface is highly resistant to scratches and wear during cleaning.

SOUND INSULATING – Its laminated construction significantly reduces the transmission of noise between rooms.

AVAILABLE CONFIGURATIONS

Depending on the door leaf construction, the following edge configurations are available: rebated, non-rebated and reverse-opening.



REBATED Version | NON-REBATED Version | REVERSE-OPENING Version

Stile and Rail Door Leaves | Stile and Rail & Flush Door Leaves

WHAT SETS US APART

VENEER SELECTION

The veneers used in the production of our doors are advanced laminates from the CPL family (Continuous Pressure Laminate technology) as well as PP polypropylene laminates. They offer excellent resistance to abrasion and moisture during everyday use. Thanks to their multilayer construction and special 3D printing technology, they faithfully reproduce the depth and grain pattern of natural wood.

SOLID COLOURS



01 Matt White

16 Cashmere

15 Light Grey



14 Midnight Blue



12 Matt Black



17 Textured Olive



18 Textured Black

WOODGRAIN FINISHES

05 Ecru Oak



06 Natural Oak



07 Cappuccino Oak



08 Rustic Oak



09 Oiled Oak



11 Chocolate Oak



Certified, effective apple-scented cleaner designed to remove heavy dirt resulting from everyday door use. Intended exclusively for OPTIMO products. Capacity: 1000 ml.

* Veneers available while stocks last.

TABLE OF CONTENTS

DOOR LEAF COLLECTIONS

SOFIA 10-11
TREND 12-15
OPERA 16-17
PRESTIGE 18-21
RETRO 22-27
CLASSIC 28-33
GRANDE 34-39
MODERN 40-49
VERTICAL 50-53
STYL 54-55
BLACKWOOD Inspiration 56-57
GLASS 58-61

DOOR SYSTEMS

Classic Sliding Systems 64-66
Loft Sliding Systems 68-69
Discreet Systems 70-71
MAGIC System 72-73
Frameless System 74-75

SIDELIGHTS & DOOR FRAMES

Adjustable Door Frame 76-77
Reverse-Opening & Fixed Door Frames 78-79
GLASS Door Frame 80-81
Sidelights 82-83
Decorative Door Frame Elements 84-85

HANDLES & ACCESSORIES

Accessories 86
Handles 87





SOFIA
TREND
OPERA
PRESTIGE
RETRO
CLASSIC
GRANDE
MODERN
VERTICAL
STYL
BLACKWOOD Inspiration
GLASS

SOFIA

The SOFIA collection – is perfect for minimalist, light and contemporary interiors. Its simple, smooth surfaces ensure comfortable everyday use while helping to create a harmonious living space. Subtle glazed elements allow plenty of natural light to flow through the interior.

Warranty

2-Year





1. 6 mm HDF Facing Board
2. 90 mm Solid Timber Frame
3. Tubular Particleboard Core
4. ABS Edge
5. 8 mm VSG Safety Glass



SOFIA

A.0



Color: 01 Matt White

A.0



Color: Door Leaf 08 Rustic Oak, Door Frame 12 Matt Black

B.1



Color: 15 Light Grey, VSG 44.1 Milky Safety Glass

B.2



Color: 12 Matt Black, VSG 44.1 Milky Safety Glass

Presented Configuration

Non-Rebated Version
Color as Shown
Glass as Shown (Models B.1 and B.2)
Architrave Joint: Type B – 90°
Handle: CUBE Q Black

Surcharge

- Width "100"
- Smoked Graphite or Black Glass
- Ventilation Undercut or Heat-Recovery Ventilation Gap
- Drop Seal (Model A.0 Only)
- Two-Color Door Leaf Finish
- Door Leaf Edge Finished with ABS Edging in a Non-Standard Color
- Classic Sliding Systems (Model A.0 Only)
- Loft Sliding Systems (Model A.0 Only)

pp. 62–66
pp. 68–69

- Discreet Concealed Systems pp. 70–71
- MAGIC Sliding Systems (Model A.0 Only) pp. 72–73
- BEZRAM Sliding Systems (Model A.0 Only) pp. 74–75
- Door Frames pp. 76–81
- Sidelights pp. 82–83
- Decorative Door Frame Packages pp. 84–85
- Other Accessories p. 86
- Handles p. 87

TREND

The TREND collection – is the perfect choice for those who appreciate bold yet subtle decorative details. Each door is enhanced with distinctive decorative inlays in gold, copper, silver, or black. Their color is worth considering when selecting the door handle, as together they create an exceptionally striking combination. Their beauty is further emphasized by solid-color finishes such as blue, graphite, or black.

Warranty

2-Year



Decorative Inlay
Brushed Gold Color



1. 6 mm HDF Facing Board
2. 90 mm Solid Timber Frame
3. Tubular Particleboard Core
4. ABS Edge
5. Double-Sided Decorative Inlay

Decorative Inlay Colors:

- Brushed Silver
- Brushed Gold
- Brushed Copper
- Matt Black

Model: TREND A.3
Color: 14 Midnight Blue
Architrave Joint: Type B – 90°
Handle: CUBE Q Satin Gold
Decorative Inlay: Brushed Gold



TREND

A.1



Color: 01 Matt White, Decorative Inlay: Brushed Black, Handle: CUBE Q Matt Black

A.2



Color: 12 Matt Black, Decorative Inlay: Brushed Silver, Handle: CUBE Q Brushed Chrome

B.1



Color: 14 Midnight Blue, Decorative Inlay: Brushed Gold, Handle: CUBE Q Satin Gold

B.2



Color: 16 Cashmere, Decorative Inlay: Brushed Black, Handle: CUBE Q Matt Black

Presented Configuration

Version: Non-Rebated
Color: As Shown
Glass: As Shown
Architrave Joint: Type B – 90°

Surcharge

- Width “100”
- Ventilation Undercut or Heat-Recovery Ventilation Gap
- Drop Seal
- Two-Color Door Leaf Finish
- Door Leaf Edge Finished with ABS Edging in a Non-Standard Color
- Classic Sliding Systems pp. 62–66
- Loft Sliding Systems pp. 68–69
- Discreet Concealed Systems pp. 70–71
- MAGIC Sliding Systems pp. 72–73
- BEZRAM Sliding Systems pp. 74–75
- Door Frames pp. 76–81
- Sidelights pp. 82–83
- Decorative Door Frame Packages pp. 84–85
- Other Accessories p. 86
- Handles p. 87

TREND

C.1



Color: 12 Matt Black, Decorative Inlay: Brushed Copper, Handle: CUBE Q Matt Black

C.2



Color: 12 Matt Black, Decorative Inlay: Brushed Copper, Handle: CUBE Q Matt Black

D.1



Color: 12 Matt Black, Decorative Inlay: Brushed Gold, Handle: BELLA Slim Satin Gold

D.2



Color: 12 Matt Black, Decorative Inlay: Brushed Gold, Handle: BELLA Slim Satin Gold

Presented Configuration

Version: Non-Rebated
Color: As Shown
Architrave Joint: Type B – 90°

Surcharge

- Width "100"
- Ventilation Undercut or Heat-Recovery Ventilation Gap
- Drop Seal
- Two-Color Door Leaf Finish
- Door Leaf Edge Finished with ABS Edging in a Non-Standard Color
- Classic Sliding Systems pp. 62–66
- Loft Sliding Systems pp. 68–69
- Discreet Concealed Systems pp. 70–71
- MAGIC Sliding Systems pp. 72–73
- BEZRAM Sliding Systems pp. 74–75
- Door Frames pp. 76–81
- Sidelights pp. 82–83
- Decorative Door Frame Packages pp. 84–85
- Other Accessories p. 86
- Handles p. 87


Model: TREND C.2
Color: 16 Cashmere
Architrave Joint: Type B – 90°
Decorative Inlay: Matt Black
Handle: SCALA 03 Matt Black

OPERA

The OPERA collection – surprises with its light form and rounded shapes. Decorative black glass inlays take center stage, giving the doors a distinctive dimension and unique character. These doors are ideally suited to modern interiors, both in woodgrain and solid-color finishes.

Warranty

2-Year





1. 6 mm HDF Facing Board
2. 90 mm Solid Timber Frame
3. Tubular Particleboard Core
4. ABS Edge
5. Decorative Inlay: 4 mm Black Glass, Flush-Fitted with the Door Leaf Surface, Double-Sided



OPERA

A.1



Color: 08 Rustic Oak, Decorative Inlay: Black Glass

B.2



Color: 08 Rustic Oak, Decorative Inlay: Black Glass

C.1



Color: 01 Matt White, Decorative Inlay: Black Glass

D.1



Color: 01 Matt White, Decorative Inlay: Black Glass

Presented Configurations

Version: Non-Rebated
Color: As Shown
Glass: As Shown
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: CUBE Q Black

Surcharge

- Width "100"
- Ventilation Undercut or Heat-Recovery Ventilation Gap
- Drop Seal
- Two-Color Door Leaf Finish
- Door Leaf Edge Finished with ABS Edging in a Non-Standard Color
- Classic Sliding Systems
- Loft Sliding Systems

pp. 62–66
pp. 68–69

- Discreet Concealed Systems pp. 70–71
- MAGIC Sliding Systems pp. 72–73
- BEZRAM Sliding Systems pp. 74–75
- Door Frames pp. 76–81
- Sidelights pp. 82–83
- Decorative Door Frame Packages pp. 84–85
- Other Accessories p. 86

Handles p. 87

PRESTIGE

The PRESTIGE collection – eatures classic designs that complement both modern and traditional interiors. PRESTIGE models stand out with their distinctive glazing frame finish, featuring prominent decorative milling. The innovative technology used to join the decorative elements to the door leaf frame ensures lasting durability and an exceptionally refined appearance.

Warranty

2-Year



Decorative Door Frame Package: PRESTIGE I



1. 6 mm VSG Safety Glass
2. 12 mm Flat MDF Panel (Models B and C)
3. PRESTIGE Decorative Frame
4. 40 mm Vertical Stiles with a Solid Timber Core
5. 35 mm Horizontal MDF Rail
6. Double-Sided 6 mm Flat MDF Panel (Model D.1 Only)



PRESTIGE

D.1



Color: 01 Matt White, VSG 33.1 Black Safety Glass

D.1



Color: 16 Cashmere, VSG 33.1 Milky Safety Glass

D.1



Color: 12 Matt Black, VSG 33.1 Milky Safety Glass

D.1



Color: 17 Textured Olive, VSG 33.1 Black Safety Glass

Presented Configurations

Version: Non-Rebated
Color: As Shown
Glass: As Shown
Decorative Door Frame Package: PRESTIGE II
Architrave Joint: Type A – 45°
Handle: CUBE Q Black

Surcharge

- Width "100"
- Smoked Graphite or Black Glass (D.1)
- Ventilation Undercut or Heat-Recovery Ventilation Gap
- Drop Seal
- ALUX Hinge Covers (One Set)
- RETRO Hinge Covers (One Set)

- Discreet Concealed Systems pp. 70–71
- MAGIC Sliding Systems pp. 72–73
- BEZRAM Sliding Systems pp. 74–75
- Door Frames pp. 76–81
- Sidelights pp. 82–83
- Decorative Door Frame Packages pp. 84–85
- Other Accessories p. 86

  Handles p. 87

PRESTIGE



Example of Glass with a Sandblasted Design – Double FRAME

Presented Configurations

Version: Rebated
Color: 01 Matt White
Glass: 6 mm Milky VSG Safety Glass
Decorative Door Frame Package: PRESTIGE II
Architrave Joint: Type A – 45°
Handle: VENTO Antique Brass Hinge
Covers: RETRO Antique Brass

Additional Glass Charges

- Smoked Graphite or Black Glass (B.1,C.1)
- Sandblasted Design (Single-Sided) (B.1,C.1)
- Single-Sided Mirror (C.0)



Model: PRESTIGE C.0
Option with a Single-Sided Mirror
Color: 01 Matt White
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: VENTO Antique Brass

RETRO

The RETRO collection – is distinguished by its classic styling, inspired by historic residences and timeless palace elegance. RETRO models feature a unique glazing frame finish with a traditional decorative moulding. The innovative technology used to join the decorative elements to the door leaf frame ensures exceptional durability and a refined, elegant appearance.

Warranty

2-Year



Decorative Door Frame
Package: RETRO I



1. 6 mm VSG Safety Glass
2. 22 mm Flat MDF Panel (Models B and C)
3. RETRO Decorative Frame
4. 40 mm Vertical Stiles with a Solid Timber Core
5. 35 mm Horizontal MDF Rail (Muntin Bar)
6. Double-Sided 6 mm Flat MDF Panel (Model D.1 Only)

Model: RETRO E.0
Color: 15 Light Grey
Architrave Joint: Type A – 45°
Handle: VENTO Antique Brass



Hinged
Rebated & Non-Rebated



Hinged
Reverse-Opening



Wall-Mounted Sliding



Wall-Mounted Sliding
Loft Wood



Pocket
Sliding



Width
60-100 cm



Width
120-180 cm



Can be shortened
by up to 6 cm

RETRO

E.0 E.1 B.0 B.1



Example of Glass with a Sandblasted Design – Single FRAME

Presented Configurations

Version: Rebated
Color: 01 Matt White
Glass: 6 mm Milky VSG Safety Glass
Decorative Door Frame Package: RETRO II
Architrave Joint: Type A – 45°
Handle: VENTO Antique Brassosłonki:
Hinge Covers: RETRO Antique Brass

Surcharge

- Width "100"
- Smoked Graphite or Black Glass (B.1,C.1)
- Single-Sided Sandblasted Design (B.1,C.1)
- Ventilation Undercut or Heat-Recovery Ventilation Gap
- Drop Seal
- ALUX Hinge Covers (One Set)
- RETRO Hinge Covers (One Set)

- Classic Sliding Systems pp. 62–66
- Loft Sliding Systems pp. 68–69
- Door Frames pp. 76–81
- Sidelights pp. 82–83
- Decorative Door Frame Packages pp. 84–85
- Other Accessories p. 86
- Handles p. 87

RETRO

A.0 A.1 C.0 C.1



Example of Glass with a Sandblasted Design – Single FRAME

Presented Configurations

Version: Rebated
Color: 16 Cashmere
Glass: 6 mm Milky VSG Safety Glass
Decorative Door Frame Package: RETRO II
Architrave Joint: Type A – 45°
Handle: VENTO Antique Brass
Hinge Covers: RETRO Antique Brass

Additional Glass Charges

- Smoked Graphite or Black Glass (A.1,C.1)
- Single-Sided Sandblasted Design (A.1,C.1)



Model: RETRO C.0
Color: 01 Matt White
Decorative Door Frame Package: RETRO II
Architrave Joint: Type A – 45°
Handle: ORGANIC Satin Chrome

RETRO

D.1



Color: 01 Matt White, VSG 33.1 Milky Safety Glass

D.1



Color: 15 Light Grey, VSG 33.1 Milky Safety Glass

D.1



Color: 08 Rustic Oak, VSG 33.1 Milky Safety Glass

D.1



Color: 11 Chocolate Oak, VSG 33.1 Milky Safety Glass

Presented Configurations

Version: Rebated
Color: As Shown
Glass: 6 mm Milky VSG Safety Glass
Decorative Door Frame Package: RETRO II
Architrave Joint: Type A – 45°
Handle: ORGANIC Satin Chrome
Hinge Covers: ALUX Satin Chrome

Additional Glass Charges

- Smoked Graphite or Black Glass (D.1)



Model: RETRO D.1
Color: 12 Matt Black
Glass: 6 mm Milky VSG Safety Glass
Decorative Door Frame Package: RETRO II
Architrave Joint: Type A – 45°
Handle: ORGANIC Satin Chrome

CLASSIC

The CLASSIC collection – combines timeless design with a contemporary character. CLASSIC models are distinguished by the combination of traditional profiled panels and a modern, clean-lined frame design.

Warranty

2-Year



Architraves: STANDARD
Architrave Joint: Type B – 90°



1. 6 mm VSG Safety Glass
2. 2 mm Raised MDF Panel
3. Frameless System
4. 40 mm Vertical Stiles with a Solid Timber Core
5. 35 mm Horizontal MDF Rail (Muntin Bar)


Hinged
Rebated & Non-Rebated


Hinged
Reverse-Opening


Wall-Mounted Sliding


Wall-Mounted Sliding
Loft Wood


Pocket
Sliding


Width
60-100 cm


Width
120-180 cm


Can be shortened
by up to 6 cm

CLASSIC

F.1



Color: 11 Chocolate Oak

NEW

F.3



Color: 11 Chocolate Oak

NEW

G.0



Color: 16 Cashmere

NEW

G.2



Color: 16 Cashmere

NEW

Presented Configurations

Version: Rebated
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: ORGANIC Black
Hinge Covers: ALUX Black

Surcharge

- Width "100"
- Smoked Graphite or Black Glass (F.1, F.3, G.2)
- Ventilation Undercut or Heat-Recovery Ventilation Gap
- Drop Seal
- ALUX Hinge Covers (One Set)
- RETRO Hinge Covers (One Set)

- Classic Sliding Systems pp. 62–66
- Loft Sliding Systems pp. 68–69
- Door Frames pp. 76–81
- Sidelights pp. 82–83
- Decorative Door Frame Packages pp. 84–85
- Other Accessories p. 86
- Handles p. 87

CLASSIC

A.0



Color: 06 Natural Oak, Handle: ORGANIC Black

A.1



Color: 06 Natural Oak, Handle: ORGANIC Black

C.0



Color: 05 Ecru Oak, Handle: UNICO Satin Chrome

C.1



Color: 05 Ecru Oak, Handle: UNICO Satin Chrome

Presented Configurations

Version: Rebated
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD
Architrave Joint: Type A – 45°
Hinge Covers: ALUX Chrome

Additional Glass Charges

- Smoked Graphite or Black Glass (A.1, C.1)

CLASSIC

C.6



Color: 01 Matt White

D.8



Color: 01 Matt White

D.0



Color: 05 Ecru Oak

D.1



Color: 05 Ecru Oak, Example of Glass with a Sandblasted Design – BAR

NEW

Presented Configurations

Version: Rebated
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD
Architrave Joint: Type A – 45°
Handle: UNICO Satin Chrome
Hinge Covers: ALUX Satin Chrome

NEW

Surcharge

- Width "100"
- Smoked Graphite or Black Glass (C.6, D.1, D.8)
- Single-Sided Sandblasted Design (D.1)
- Ventilation Undercut or Heat-Recovery Ventilation Gap
- Drop Seal
- ALUX Hinge Covers (One Set)
- RETRO Hinge Covers (One Set)

- Classic Sliding Systems pp. 62–66
- Loft Sliding Systems pp. 68–69
- Door Frames pp. 76–81
- Sidelights pp. 82–83
- Decorative Door Frame Packages pp. 84–85
- Other Accessories p. 86
- Handles p. 87

CLASSIC

E.0 E.1 E.4 E.A



Presented Configurations

Version: Rebated
Color: 11 Chocolate Oak
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: LUNA Slim Satin
Hinge Caps: ALUX Satin Chrome

Additional Glass Charges

- Smoked Graphite or Black Glass (E.1, E.4, E.A)
- Single-Sided Sandblasted Design (E.1, E.4)



NEW

Model: CLASSIC D.8
Color: 11 Chocolate Oak
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: LUNA Slim Satin

GRANDE

The GRANDE collection – stands out with its contemporary styling. Its substantial, solid appearance is achieved through the use of 35 mm horizontal elements, further emphasized by an exceptionally wide rail.

Warranty

2-Year



Architrave: DELUX
Architrave Joint: Type B – 90°



1. 6 mm VSG Safety Glass
2. 6 mm Flat MDF Panel
3. Frameless System
4. 40 mm Vertical Stiles with a Solid Timber Core
5. 35 mm Horizontal MDF Rail

Model: GRANDE A.5
Color: 05 Ecru Oak
Glass: 6 mm Black VSG Safety Glass
Handle: UNICO Textured Black



GRANDE

A.0



A.2



A.5



A.A



Presented Configurations

Version: Non-Rebated
Color: 05 Ecru Oak
Glass: 6 mm Milky VSG Safety Glass
Architraves: DELUX
Architrave Joint: Type B – 90°
Handle: UNICO Textured Black

Surcharge

- Width "100"
- Smoked Graphite or Black Glass (A.2, A.5, A.A)
- Ventilation Undercut or Heat-Recovery Ventilation Gap
- Drop Seal
- ALUX Hinge Covers (One Set)
- RETRO Hinge Covers (One Set)

- Classic Sliding Systems pp. 62–66
- Loft Sliding Systems pp. 68–69
- Door Frames pp. 76–81
- Sidelights pp. 82–83
- Decorative Door Frame Packages pp. 84–85
- Other Accessories p. 86
- Handles p. 87

GRANDE



Presented Configurations

Version: Non-Rebated
Color: 01 Matt White
Glass: 6 mm Smoked Graphite VSG Safety Glass
Architraves: DELUX
Architrave Joint: Type B – 90°
Handle: UNICO Textured Black

Additional Glass Charges

- Smoked Graphite or Black Glass (B.2, B.6, B.A)

GRANDE

D.0



D.1



D.3



D.4



Presented Configurations

Version: Non-Rebated
Color: 06 Natural Oak
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: CUBE Brushed Chrome

Surcharge

- Width “100”
- Smoked Graphite or Black Glass (D.1, D.3, D.4)
- Ventilation Undercut or Heat-Recovery Ventilation Gap
- Drop Seal
- ALUX Hinge Covers (One Set)
- RETRO Hinge Covers (One Set)

- Classic Sliding Systems pp. 62–66
- Loft Sliding Systems pp. 68–69
- Door Frames pp. 76–81
- Sidelights pp. 82–83
- Decorative Door Frame Packages pp. 84–85
- Other Accessories p. 86
- Handles p. 87

GRANDE

E.1 E.3 F.3 F.8



Presented Configurations

Version: Non-Rebated
Color: 11 Chocolate Oak
Glass: 6 mm Milky VSG Safety Glass
Architraves: DELUX
Architrave Joint: Type B – 90°
Handle: UNICO Satin Chrome

Additional Glass Charges

- Smoked Graphite or Black Glass (E.1, E.3, F.3, F.8)



Model: GRANDE F.8
Color: 06 Natural Oak
Glass: 6 mm Milky VSG Safety Glass
Architraves: DELUX
Architrave Joint: Type B – 90°
Handle: UNICO Satin Chrome

MODERN

The MODERN collection – stands out with its contemporary styling. Its substantial, solid appearance is created by exceptionally wide 22 mm rails, combined with the three-dimensional form characteristic of stile and rail doors.

Warranty

2-Year



Architraves: STANDARD
Architrave Joint: Type B – 90°



1. 6 mm VSG Safety Glass
2. 6 mm Flat MDF Panel (Models A and B) and 12 mm Flat MDF Panel (Models C and D)
3. Frameless System
4. 40 mm Vertical Stiles with a Solid Timber Core
5. 35 mm Horizontal MDF Rail
6. Double-Sided 6 mm Flat MDF Panel (Model G.1 Only)

Model: MODERN A.4
Color: 01 Matt White
Glass: 6 mm Black VSG Safety Glass
Architrave Joint: Type B – 90°
Handle: QUBE Q Black



MODERN

A.0



A.2



A.4



A.A



Presented Configurations

Version: Non-Rebated
Color: 01 Matt White
Glass: 6 mm Black VSG Safety Glass
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: CUBE Q Black

Surcharge

- Width “100”
- Smoked Graphite or Black Glass (A.2, A.4), A.A)
- Ventilation Undercut or Heat-Recovery Ventilation Gap
- Drop Seal
- ALUX Hinge Covers (One Set)
- RETRO Hinge Covers (One Set)

- Classic Sliding Systems pp. 62–66
- Loft Sliding Systems pp. 68–69
- Door Frames pp. 76–81
- Sidelights pp. 82–83
- Decorative Door Frame Packages pp. 84–85
- Other Accessories p. 86
- Handles p. 87

MODERN

G.1



Color: 01 Matt White, VSG 33.1 Milky Safety Glass

G.1



Color: 05 Ecru Oak, VSG 33.1 Black Safety Glass

G.1



Color: 08 Rustic Oak, VSG 33.1 Milky Safety Glass

G.1



Color: 16 Cashmere, VSG 33.1 Milky Safety Glass

Presented Configurations

Version: Non-Rebated
Color: As Shown
Glass: As Shown
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: CUBE Q Black

Additional Glass Charges

- Smoked Graphite or Black Glass (G.1)


Model: MODERN G.1
Color: 16 Cashmere
Glass: VSG 33.1 Milky Safety Glass
Architrave Joint: Type B – 45°
Handle: QUBE Q Black

MODERN

B.0



B.2



B.5



B.A



Presented Configurations

Version: Rebated
Color: 09 Oiled Oak
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: ORGANIC Black
Hinge Covers: ALUX Black

Additional Glass Charges

- Smoked Graphite or Black Glass (B.2, B.5, B.A)

MODERN

C.0



Color: 16 Cashmere

C.1



Color: 16 Cashmere

D.0



Color: 17 Textured Olive

D.1



Color: 17 Textured Olive

Presented Configurations

Version: Non-Rebated
Color: As Shown
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: LUNA Slim Black

Surcharge

- Width "100"
- Smoked Graphite or Black Glass (C.1, D.1)
- Single-Sided Sandblasted Design (C.1, D.1)
- Single-Sided Mirror (D.0)
- Ventilation Undercut or Heat-Recovery Ventilation Gap
- Drop Seal
- ALUX Hinge Covers (One Set)
- RETRO Hinge Covers (One Set)

- Classic Sliding Systems pp. 62–66
- Loft Sliding Systems pp. 68–69
- Door Frames pp. 76–81
- Sidelights pp. 82–83
- Decorative Door Frame Packages pp. 84–85
- Other Accessories p. 86
- Handles p. 87

MODERN

D.2.A



Glass Design – Horizontal Lines

D.2.B



Glass Design – Combined Frame

D.2.C



Glass Design – Grid

D.2.D



Glass Design – Bar

Presented Configurations

Version: Non-Rebated
Color: 12 Matt Black
Glass: 6 mm Milky VSG Safety Glass
Glass Design: Black Painted Glass
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: CUBE Q Brushed Chrome

Additional Glass Charges

- Smoked Graphite Glass
- Double-Sided Painted Glass Design

MODERN

D.3.A



Glass Design – Horizontal Lines

D.3.B



Glass Design – Combined Frame

D.3.C



Glass Design – Grid

D.3.D



Glass Design – Bar

Presented Configurations

Version: Non-Rebated
Color: 07 Cappuccino Oak
Glass: Smoked Graphite
Glass Design: Sandblasted
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: CUBE Q Black

Surcharge

- Width "100"
- Smoked Graphite or Black Glass
- Double-Sided Sandblasted Design
- Ventilation Undercut or Heat-Recovery Ventilation Gap
- Drop Seal
- ALUX Hinge Covers (One Set)
- RETRO Hinge Covers (One Set)

- Classic Sliding Systems pp. 62–66
- Loft Sliding Systems pp. 68–69
- Door Frames pp. 76–81
- Sidelights pp. 82–83
- Decorative Door Frame Packages pp. 84–85
- Other Accessories p. 86
- Handles p. 87

MODERN

F.0 F.2 F.5 F.A



Presented Configurations

Version: Rebated
Color: 01 Matt White
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: ORGANIC Textured Black
Hinge Covers: ALUX Black

Additional Glass Charges

- Smoked Graphite Glass (F.2, F.5, F.A)



Model: MODERN F.0
Color: 07 Cappuccino Oak
Architrave Joint: Type B – 90°
Handle: LUNA Slim Black

VERTICAL

The VERTICAL collection – features a striking contemporary design defined by its vertical layout. Inspired by Scandinavian style, the vertically arranged rails create new possibilities for designing clean, minimalist interiors.

Warranty

2-Year



Architraves: STANDARD
Architrave Joint: Type B – 90°



1. 6 mm VSG Safety Glass
2. 6 mm Flat MDF Panel
3. Frameless System
4. 40 mm Vertical Stiles with a Solid Timber Core
5. 22 mm Horizontal MDF Rail

Model: VERTICAL A.2
Color: 06 Natural Oak
Glass: 6 mm Black VSG Safety Glass
Handle: ORGANIC Textured Black



VERTICAL

A.2



B.2



C.1



D.1



Presented Configurations

Version: Non-Rebated
Color: 06 Natural Oak
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: LUNA Slim Satin

Surcharge

- Width "100"
- Smoked Graphite or Black Glass (A.2, B.2, C.1, D.1)
- Ventilation Undercut or Heat-Recovery Ventilation Gap
- Drop Seal
- ALUX Hinge Covers (One Set)
- RETRO Hinge Covers (One Set)

- Classic Sliding Systems pp. 62–66
- Loft Sliding Systems pp. 68–69
- Door Frames pp. 76–81
- Sidelights pp. 82–83
- Decorative Door Frame Packages pp. 84–85
- Other Accessories p. 86
- Handles p. 87

VERTICAL

A.0



Color: 16 Cashmere, LUNA Slim Matt Black

NEW

A.0



Color: 15 Light Grey, LUNA Slim Matt Black

NEW

A.4



Color: 12 Matt Black, LUNA Slim Satin

NEW

A.4



Color: 01 Matt White, LUNA Slim Matt Black

NEW

Presented Configurations

Version: Non-Rebated
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD
Architrave Joint: Type B – 90°

Additional Glass Charges

- Smoked Graphite Glass (A.4)

VERTICAL

E.0



Color: 05 Ecru Oak

NEW

E.0



Color: 07 Cappuccino Oak

NEW

E.6



Color: 06 Natural Oak

NEW

E.4



Color: 09 Oiled Oak

NEW

Presented Configurations

Version: Non-Rebated
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: LUNA Slim Satin

Surcharge

- Width "100"
- Smoked Graphite or Black Glass (E.6, (E.4)
- Ventilation Undercut or Heat-Recovery Ventilation Gap
- Drop Seal
- ALUX Hinge Covers (One Set)
- RETRO Hinge Covers (One Set)

- Classic Sliding Systems pp. 62–66
- Loft Sliding Systems pp. 68–69
- Door Frames pp. 76–81
- Sidelights pp. 82–83
- Decorative Door Frame Packages pp. 84–85
- Other Accessories p. 86
- Handles p. 87

STYL

The STYL collection – combines the visual lightness of a glass door without a horizontal frame with traditional hinges and a classic handle. Its large yet safe 8 mm glass panel also allows an exceptional amount of natural light to enter the interior.

Warranty

2-Year





1. 8 mm VSG Safety Glass
2. Frameless System
3. 40 mm Vertical Stiles with a Solid Timber Core


Hinged
Rebated & Non-Rebated


Hinged
Reverse-Opening


Width
60-100 cm


Width
120-180 cm


Can be shortened
by up to 6 cm

STYL

A.0



A.1



A.6



NEW

A.7



NEW

Presented Configurations

Version: Non-Rebated
Color: 12 Matt Black
Glass: 8 mm Smooth Smoked Graphite Tempered Glass (A.0) or with a Sandblasted Design (A.1, A.4, A.5)
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: CUBE Q Black

Surcharge

- Width “100”
- Smoked Graphite or Black Glass
- Ventilation Undercut or Heat-Recovery Ventilation Gap
- ALUX Hinge Covers (One Set)
- RETRO Hinge Covers (One Set)
- Additional Charge for a Double-Sided Design

- Door Frames pp. 76–81
- Sidelights pp. 82–83
- Decorative Door Frame Packages pp. 84–85
- Other Accessories p. 86
- Handles p. 87

BLACKWOOD Inspiration

The BLACKWOOD inspiration – combines a variety of veneer colors on any door leaf model with the elegant black finish of the door frame. The design is completed by stylish, opaque black glass.

Model: STYL A.1
Color: 08 Rustic Oak / 12 Matt Black
Glass: 8 mm Black VSG Safety Glass with a Decorative Design
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: UNICO Textured Black





Model: MODERN D.3.C
Color: 07 Cappuccino Oak / 12 Matt Black
Glass: 6 mm Black VSG Safety Glass
with a GRID Sandblasted Design
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: UNICO Textured Black

BLACKWOOD Inspiration

F.0

MODERN



A.4

MODERN



A.4

VERTICAL



NEW

A.2

VERTICAL



Presented Configurations

Version: Non-Rebated
Color: 07 Cappuccino Oak / 12 Matt Black
Glass: 6 mm Black VSG Safety Glass
Architraves: STANDARD
Architrave Joint: Type B – 90°
Handle: UNICO Textured Black

Surcharge

- Width "100"
- Graphite, Smoked Graphite, or Black Glass (MOD. A.4, VER. A.4, A.2)
- Ventilation Undercut or Heat-Recovery Ventilation Gap
- Drop Seal
- ALUX Hinge Covers (One Set)
- RETRO Hinge Covers (One Set)

- Classic Sliding Systems pp. 62–66
- Loft Sliding Systems pp. 68–69
- Door Frames pp. 76–81
- Sidelights pp. 82–83
- Decorative Door Frame Packages pp. 84–85
- Other Accessories p. 86
- Handles p. 87

GLASS

The GLASS collectio – is an ideal choice for both intimate loft-style interiors and large office buildings. The minimalist design of the glass doors visually opens up the space and allows more light into the room while maintaining acoustic comfort.

Warranty

2-Year

ARCOS Non-Locking Latch





RONDO Non-Locking Latch





ARCOS and RONDO Hardware Finish (Lock, Handle, Hinge, and Hinge Covers)

Silver Anodized

Black



Model: GLASS 09
Door Frame Color: 12 Matt Black
Glass: 8 mm Tempered Glass Smoked Graphite with a Single-Sided Black Painted Design
Architraves: STANDARD
Architrave Joint: Type B – 90°
Hardware: ARCOS Black

1. Door Leaf Made from a Single 8 mm Tempered Glass Panel with Hinges and Lock
2. Adjustable Door Frame


Non-Locking Latch (OSZ)


Cylinder Lock (WK), Cylinder Not Included


Bathroom Lock (WC)


Hinged


Wall-Mounted Sliding Loft Glass


Width 60-100 cm


Width 120-180 cm


Can be shortened by up to 6 cm

GLASS

01



09



03



04



Presented Configurations

Door Frame Color: 12 Matt Black
Glass: 8 mm Clear Tempered Glass with a Single-Sided Black Painted Design
Architraves: STANDARD
Architrave Joint: Type B – 90°
Hardware: ARCOS OSZ Black

Surcharge

DORMA Hardware Sets for Single-Leaf Doors: Lock, Handle, and Hinges

	RONDO		ARCOS	
	OSZ/WK	WC	OSZ/WK	WC
Silver Anodized Finish	YES	YES	YES	YES
Black	YES	YES	YES	YES

DORMA Hardware Sets for the Inactive Leaf in Double-Leaf Doors: Strike Lock, Hinges, and Flush Bolts

Silver Anodized Finish	YES	YES
Black	YES	YES

- Width “100”
- Smoked Graphite or Decormat Glass
- Double-Sided Design
- Ventilation Undercut in the Glass
- Loft Sliding Systems str. 62-66
- Door Frames str. 76-81
- Other Accessories str. 86
- Inactive Leaf
- 17/31 Stainless Steel Cylinder for Cylinder Lock (WK)

GLASS

05



11



NEW

12



NEW

Presented Configurations

Door Frame Color: 12 Matt Black
Glass: 8 mm Clear Tempered Glass with a Sandblasted Design
Architraves: STANDARD
Architrave Joint: Type B – 90°
Hardware: RONDO OSZ Black

Additional Glass Charges

- Smoked Graphite or Decormat Glass
- Double-Sided Sandblasted Design


Model: GLASS 02
Door Frame Color: 12 Matt Black
Glass: 8 mm Clear Tempered Glass
with a Single-Sided Black Design
Architraves: STANDARD
Architrave Joint: Type B – 90°
Hardware: ARCOS OSZ Black

CLASSIC SLIDING DOOR SYSTEMS

WALL-MOUNTED

Single-Leaf





The Single-Leaf Set Includes:



1	Door Leaf	According to the Model Price List
2	Passage Door Frame	p. 63
3	Pelmet with Sliding System	Surcharge
4	Accessories	p. 86
5	Door Stop	Surcharge

Double-Leaf





The Double-Leaf Set Includes:



1	Two Door Leaves	According to the Model Price List
2	Passage Door Frame	p. 63
3	Pelmet with Sliding System	Surcharge
4	Accessories	p. 86

SLIDING DOOR SYSTEMS

WALL-MOUNTED SYSTEM TECHNICAL DATA



PASSAGE DOOR FRAME

Width of single-leaf door	Ss	Hs	Sp	Hp	Sz	Hz	So	Ho	Sc	Hc	Lm	Hm
„60"	644	2030	602	2016	646	2038	680	2055	786	2108	1380	2145
„70"	744		702		746		780		886		1580	
„80"	844		802		846		880		986		1780	
„90"	944		902		946		980		1086		1980	
„100"	1044		1002		1046		1080		1186		2180	

Width of double-leaf doors	Ss	Ss	Hs	Sp	Hp	Sz	Hz	So	Ho	Sc	Hc	Lm	Hm
„120"	644	644	2030	1236	2016	1280	2038	1320	2055	1420	2108	2580	2145
„140"	744	744		1436		1480		1520		1620		2980	
„160"	844	844		1636		1680		1720		1820		3380	
„180"	944	944		1836		1880		1920		2020		3780	

Legend:

Ss	Door Leaf Width in mm
Hs	Door Leaf Height in mm
Sp	Clear Passage Width of the Door Frame in mm
Hp	Clear Passage Height of the Door Frame in mm
Sz	Overall Door Frame Width in mm
Hz	Overall Door Frame Height in mm
So	Door Frame Installation Opening Width in mm
Ho	Door Frame Installation Opening Height in mm
Sc	Total Door Frame Width, Including Architraves, in mm
Hc	Total Door Frame Height, Including Architraves, in mm
Lm	Pelmet Length in mm
Hm	Total Height with Pelmet in mm

PASSAGE DOOR FRAME

Adjustment Range		Netto (PLN)
Code	Wall Thickness (mm)	
A	75-85	630
B	85-100	640
C	100-120	650
D	120-140	660
E	140-160	670
F	160-180	680
G	180-200	690
H	200-220	700
I	220-240	710
J	240-260	720
K	260-280	730
L	280-300	740



Single Panel

M	300-320	820
N	320-340	830
O	340-360	840
P	360-380	850
R	380-400	860
S	400-420	870
T	420-440	880
U	440-460	890
V	460-480	900
W	480-500	910



Double Panel

Surcharges:

- Moisture-Resistant Passage Door Frame (Range A–L)
- Moisture-Resistant Passage Door Frame (Range M–W)
- Double-Leaf Version
- Two-Color Version

CLASSIC SLIDING DOOR SYSTEMS

POCKET

Single-Leaf





The Single-Leaf Set Includes:



1	Door Leaf According to the Model Price List	wg cennika modeli
2	Door Frame Components with Seals 3*	Surcharge
3	DRYWALL System Pocket Frame	Surcharge
4	Accessorie	p. 86
	Single-Direction Soft-Close Mechanism	Surcharge
	Two-Direction Soft-Close Mechanism	Surcharge

Double-Leaf







The Double-Leaf Set Includes:



1	Door Leaf	According to the Model Price List
2	Door Frame Components with Seals*	Surcharge
3	DRYWALL System Pocket Frame	Surcharge
4	Accessories	p. 86
	Opening Synchronizer	Surcharge
	Single-Direction Soft-Close Mechanism	Surcharge
	Two-Direction Soft-Close Mechanism	Surcharge

*Door frame components designed exclusively for the ECLISSE PLUS system with a 100 mm wall thickness

CLASSIC SLIDING DOOR SYSTEMS

POCKET SYSTEM TECHNICAL DATA

ECLISSE PLUS 100 mm Pocket Frame System





Width of single-leaf door	Ss	Hs	Sp	Hp	Sc1	Hc1	Sc2	Hc2	Sck	Hck
„60"	644		610		785		810		1346	
„70"	744		710		885		910		1546	
„80"	844	2030	810	2020	985	2120	1010	2132	1746	2115
„90"	944		910		1085		1110		1946	
„100"	1044		1010		1185		1210		2146	

Width of double-leaf doors	Ss	Hs	Sp	Hp	Sc1	Hc1	Sc2	Hc2	Sck	Hck
„120"	644		1220		1395		1420		2610	
„140"	744	2030	1420	2020	1595	2120	1620	2132	3010	2115
„160"	844		1620		1795		1820		3410	
„180"	944		1820		1995		2020		3810	

Legend:

Ss Door Leaf Width in mm
Hs Door Leaf Height in mm
Sp Clear Passage Width in mm
Hp Clear Passage Height in mm
Sc1 Total Width of the Door Frame Components, Including Architraves, in mm
Hc1 Total Height of the Door Frame Components, Including Architraves, in mm
Sc2 Total Width of the Door Frame Components, Including Architraves and Panel, in mm
Hc2 Total Height of the Door Frame Components, Including Architraves and Panel, in mm
Sck Total Pocket Frame Width in mm
Hck Hck Total Pocket Frame Height in mm

SLIDING DOOR SYSTEMS

EXTENSIONS FOR THE POCKET SLIDING SYSTEM

ECLISSE PLUS 100 mm Pocket Frame System

*Adjustable architrave tongues to be individually trimmed to match the wall thickness

Standard



Adjustment Range	
Code	Wall Thickness (mm)
A	100

Single-Sided Extension



Adjustment Range	
Code	x (mm)
B	0-30



Adjustment Range	
Code	x (mm)
C	30-40
D	40-60
E	60-80
F	80-100

Double-Sided Extension



Adjustment Range			
Side (x1)		Side (x2)	
Code	(mm)	Code	(mm)
B	0-30	**B**	0-30



Adjustment Range			
Side (x1)		Side (x2)	
Code	(mm)	Code	(mm)
B	0-30	**C**	30-40
B	0-30	**D**	40-60
B	0-30	**E**	60-80
B	0-30	**F**	80-100



Adjustment Range			
Side (x1)		Side (x2)	
Code	(mm)	Code	(mm)
C	30-40	**C**	30-40
C	30-40	**D**	40-60
C	30-40	**E**	60-80
C	30-40	**F**	80-100
D	40-60	**D**	40-60
D	40-60	**E**	60-80
D	40-60	**F**	80-100
E	60-80	**E**	60-80
E	60-80	**F**	80-100
F	80-100	**F**	80-100

BEFORE YOU BUY A DOOR

HINGED SYSTEM – a classic door-opening system in which the door leaf is mounted in the frame using hinges. This system requires the opening direction to be specified correctly. When glass with a single-sided sandblasted design is used, the side on which the sandblasting is applied must also be specified: interior or exterior.

Determining the Door Opening Direction



SLIDING SYSTEM – a hingeless system designed for spaces with limited usable floor area. The door opens by sliding the leaf along the wall. This system does not require the opening direction to be specified.

Wall-Mounted – in this system, the door leaf slides along the wall, so installation does not require extensive preparation or a major financial investment.



Pocket – the door leaf slides inside a previously prepared



Determining the Door Leaf Side

Applies to door leaves with a two-color finish, beveled glass, and designs with different layouts on each side.

W - INTERIOR Side
Z - EXTERIOR Side

HINGED	SLIDING
Viewed from the Clear Opening Side of the Door Frame	Viewed from the Side Opposite the Opening Direction
Viewed from the Fixed Architrave Side	Viewed from the Opening Side





The Set Includes:



1 Door Leaf	Surcharge
2 Single-Leaf System with Two Soft-Close Mechanisms for Closing and Opening	Surcharge
3 Accessories	p. 86





The Set Includes:



1 Door Leaf	Surcharge
2 Single-Leaf/Double-Leaf System with One Soft-Close Mechanism	Surcharge
3 Accessories	p. 86

LOFT SYSTEMS

Glass black

Closed



System Components

1. Sliding Track
2. Mounting Brackets
3. Adjustable Door Clamps
4. Stops
5. Floor Guide
6. Soft-Close Mechanisms for Closing and Opening – 2 Pieces
7. Pull Bar (Additional Charge)

Additional Charges:

- Loft Glass Black Pull Bar — Surcharge



Open



Loft Glass System				
Single-Leaf Door Leaf Width	Ss	So	Hs	Ho
„60”	644	600	2050	1995
„70”	744	700		
„80”	844	800		
„90”	944	900		
„100”	1044	1000		

Legend:

Ss	Door Leaf Width in mm
Hs	Door Leaf Height in mm
So	Wall Opening Width in mm
Ho	Wall Opening Height in mm

Wood black

Closed



System Components

1. Sliding Track
2. Mounting Brackets
3. Adjustable Door Clamps
4. Stops
5. Floor Guide
6. Soft-Close Mechanism – 1 Piece
7. Pull Handle (Additional Charge)

Additional Charges:

- Set of Rounded Pull Handles — Surcharge
- Set of Rectangular Pull Handles — Surcharge
- Loft Wood Black Pull Handle — Surcharge
- Opening Soft-Close Mechanism — Surcharge



Open



Loft Wood System				
Single-Leaf Door Leaf Width	Ss	So	Hs	Ho
„60”	644	600	2030	1960
„70”	744	700		
„80”	844	800		
„90”	944	900		
„100”	1044	1000		

Width of double-leaf doors	Ss-A	Ss-P	So	Hs	Ho
„120”	644	644	1245	2030	1960
„140”	744	744	1 4 2 5		
„160”	844	844	1 6 2 5		
„180”	944	944	1825		

DISCREET CONCEALED SYSTEM

Inward-Opening





The Set Includes:

1 Door Leaf with a **90°** Opening Angle	Surcharge
2 Single-Leaf Aluminum Door Frame with a White, Grey, or Black Seal	Surcharge
3 Magnetic Lock	Included as Standard
4 Accessories	p. 86

Outward-Opening





The Set Includes:

1 Door Leaf with a **180°** Opening Angle	Surcharge
2 Single-Leaf Aluminum Door Frame with a White, Grey, or Black Seal	Surcharge
3 Magnetic Lock	Included as Standard
4 Accessories	p. 86

DISCREET CONCEALED SYSTEM

Inward-Opening



Outward-Opening



DISCREET System – INWARD Opening

Single-Leaf Door Leaf Width	Ss	Sp1	Sp2	Sz	So	Hs	Hp	Hz	Ho
„60”	620	573	605	685	700	2027	2027	2067	2075
„70”	720	673	705	785	800				
„80”	820	773	805	885	900				
„90”	920	873	905	985	1000				
„100”	1020	973	1005	1085	1100				

DISCREET System – OUTWARD Opening

Single-Leaf Door Leaf Width	Ss	Sp1	Sp2	Sz	So	Hs	Hp	Hz	Ho
„60”	620	573	605	685	700	2017	2017	2057	2065
„70”	720	673	705	785	800				
„80”	820	773	805	885	900				
„90”	920	873	905	985	1000				
„100”	1020	973	1005	1085	1100				

Legend:

Ss	Door Leaf Width in mm
Sp1	Clear Passage Width in mm
Sp2	Clear Passage Width of the Door Frame in mm
Sz	Overall Door Frame Width in mm
So	Door Frame Installation Opening Width in mm
Hs	Door Leaf Height in mm
Hp	Clear Passage Height of the Door Frame in mm
Hz	Overall Door Frame Height in mm
Ho	Door Frame Installation Opening Height in mm

The DISCREET aluminum door frame is supplied as standard with a primer for on-site application, allowing it to be finished with wall paint.

Determining the Door Leaf Side
Applies to door leaves with a two-color finish, beveled glass, and designs with different layouts on each side.

W **- INTERIOR Side** (Viewed from the Clear Opening Side of the Door Frame)

Z **- EXTERIOR Side** (Viewed from the Side Flush with the Wall)

Additional Charges:

- Width “90”
- Width “100”
- Additional Grey 3D Concealed Hinge (Standard Finish) for Widths
- Black or White 3D Concealed Hinge (Per Piece)

MAGIC SLIDING DOOR SYSTEM

WALL-MOUNTED

NEW







The Set Includes:



1 SOFIA, TREND, or OPERA Flush Door Leaf (Hs = 2160 mm)	Surcharge
2 DISCREET Sliding System with Opening Soft-Close and Soft-Closing Mechanism,	Surcharge
3 Accessorie	p. 86
Option: Applied Mirror on One Side of the Door Leaf	Surcharge

The MAGIC sliding system is available only for single-leaf doors.

MAGIC SLIDING DOOR SYSTEM

TECHNICAL DATA

Option 1
Without Baseboard

Option 2
For Installation with a Baseboard



Closed Position



Open Position



Door Width	Ss	Sp	So	Hs	Ho
„70”	744	535	600	2160	max 2100
„80”	844	635	700		
„90”	944	735	800		
„100”	1044	835	900		

Legend:

Ss	Door Leaf Width in mm
So	Wall Opening Width in mm
Sp	Clear Passage Width in mm
Hs	Door Leaf Height in mm
Ho	Wall Opening Height in mm

BEZRAM SLIDING DOOR SYSTEM

POCKET

NEW

Single-Leaf



Double-Leaf



PUSCH&PULL System
Maximizes the Clear Passage Width







The Single-Leaf Set Includes:



1 Door Leaf	Surcharge
2 DRYWALL System Pocket Frame	Surcharge
3 Accessories	p. 86
Single-Direction Soft-Close Mechanism	Surcharge
Two-Direction Soft-Close Mechanism	Surcharge
PUSH&PULL System	Surcharge

The Double-Leaf Set Includes:



1 Door Leaf	Surcharge
2 DRYWALL System Pocket Frame	Surcharge
3 Accessories	p. 86
Opening Synchronizer with Single-Direction Soft-Close Mechanism	Surcharge
Single-Direction Soft-Close Mechanism	Surcharge
Two-Direction Soft-Close Mechanism	Surcharge
PUSH&PULL System	Surcharge

BEZRAM SLIDING DOOR SYSTEM

POCKET SYSTEM TECHNICAL DATA

Single-Leaf



Double-Leaf





Width of single-leaf door	Ss	Hs	Sp	Hp	Sc	Hc	So	Ho
„60”	644		600		1400		1420	
„70”	744		700		1600		1620	
„80”	844	2017	800	2027	1800	2083	1820	2090
„90”	944		900		2000		2020	
„100”	1044		1000		2200		2220	

Width of double-leaf door	Ss	Hs	Sp	Hp	Sc	Hc	So	Ho
„120”	644		1200		2700		2720	
„140”	744	2017	1400	2027	3100	2083	3120	2090
„160”	844		1600		3500		3520	
„180”	944		1800		3900		3920	

Legend:

Ss	Door Leaf Width in mm
Hs	Door Leaf Height in mm
Sp	Clear Passage Width in mm
Hp	Clear Passage Height in mm
Sc	Total Pocket Frame Width in mm
Hc	Total Pocket Frame Height in mm
So	Wall Opening Width in mm
Ho	Wall Opening Height in mm

ADJUSTABLE DOOR FRAME

The ADJUSTABLE DOOR FRAME – is the most commonly used frame for interior doors. Thanks to adjustable construction and architraves on both sides, it can be installed in virtually any wall with a thickness from 75 to 500 mm. The standard architrave width is 80 mm. A version with an extended 120 mm top architrave is also available, making installation possible in taller wall openings.

Adjustment Range	
Code	Wall Thickness (mm) *
A	75-85
B	85-100
C	100-120
D	120-140
E	140-160
F	160-180
G	180-200
H	200-220
I	220-240
J	240-260
K	260-280
L	280-300
M	300-320
N	320-340
O	340-360
P	360-380
R	380-400
S	400-420
T	420-440
U	440-460
V	460-480
W	480-500

The use of PRESTIGE or RETRO Decorative Door Frame Packages (p. 84–85) reduces the adjustment range by 5 mm. In such cases, an adjustable architrave with an extended 42 mm tongue must be used.



Single Panel



Double Panel

Surcharges:

- Width “90” – Non-Rebated Version
- Width “100” – Rebated / Non-Rebated Version
- Additional 3D Concealed Hinge for Widths “60–80”
- Black or White 3D Concealed Hinge (Per Piece)
- Gold 3D Concealed Hinge (Per Piece)
- Moisture-Resistant Adjustable Door Frame (Ranges A–L / M–W)
- DELUX Version (120 mm Top Architrave) – Set for Both Sides (Single-Leaf / Double-Leaf)
- PORTAL Version Type C – 0° (1000 mm Panel) – One Side (Single-Leaf)
- Double-Leaf Rebated / GLASS Version
- Double-Leaf Non-Rebated Version
- Two-tone version
- Door Frame Shortening (-2 cm, -4 cm, -6 cm)

Architrave Joint Options



STANDARD
Typ A – 45°



STANDARD
Typ B – 90°



DELUX
Typ B – 90°

NEW



PORTAL
Typ C – 0°

Hinge Types

REBATED VERSION

Two-Pin Hinge





Quantity:
- 3 hinges for all door widths

Steel hinge mounting pocket with a serrated locking clamp that prevents hinge deformation during use. Available exclusively with the Adjustable Door Frame.

NON-REBATED VERSION

3D Concealed Hinge



Grey 3D concealed hinges are supplied as standard. Black, white, or gold hinges are available at an additional cost.

Quantity:
- 2 hinges for Widths “60–80”
- 3 hinges for Widths “90–100”

Magnetic Lock Included as Standard for the Non-Rebated Version

DOOR FRAMES

ADJUSTABLE REBATED



Single-Leaf Door Width	Ss	Hs	Sp	Hp	Sz	Hz	So	Ho	Sc	Hc / Hc*
„60”	644		602		646		680		786	2108 / 2148* / 3028**
„70”	744		702		746		780		886	
„80”	844	2030	802	2016	846	2038	880	2055	986	
„90”	944		902		946		980		1086	
„100”	1044		1002		1046		1080		1186	

Double-Leaf Door Width	Ss-A	Ss-P	Hs	Sp	Hp	Sz	Hz	So	Ho	Sc	Hc
„120”	644	631		1236		1280		1310		1420	2108 / 2148* / 3028**
„130”	744	631		1336		1380		1410		1520	
„140”	744	731		1436		1480		1510		1620	
	844	631		1436		1480		1510		1620	
„150”	844	731	2030	1536	2016	1580	2038	1610	2055	1720	
	944	631		1536		1580		1610		1720	
„160”	944	731		1636		1680		1710		1820	
	844	831		1636		1680		1710		1820	
„170”	944	831		1736		1780		1810		1920	
„180”	944	931		1836		1880		1910		2020	

ADJUSTABLE NON-REBATED





Ss	Hs	Sp	Hp	Sz	Hz	So	Ho	Sc	Hc / Hc*
620		602		646		680		786	2108 / 2148* / 3028**
720		702		746		780		886	
820	2017	802	2016	846	2038	880	2055	986	
920		902		946		980		1086	
1020		1002		1046		1080		1186	

Ss-A	Ss-P	Hs	Sp	Hp	Sz	Hz	So	Ho	Sc	Hc
632	619		1236		1280		1310		1420	2108 / 2148* / 3028**
732	619		1336		1380		1410		1520	
732	719		1436		1480		1510		1620	
832	619		1436		1480		1510		1620	
832	719	2017	1536	2016	1580	2038	1610	2055	1720	
932	619		1536		1580		1610		1720	
932	719		1636		1680		1710		1820	
832	819		1636		1680		1710		1820	
932	819		1736		1780		1810		1920	
932	919		1836		1880		1910		2020	

Legend:

Ss	Door Leaf Width in mm
Ss-A	Active Door Leaf Width in mm (Double-Leaf Version)
Ss-P	Inactive Door Leaf Width in mm (Double-Leaf Version)
Hs	Door Leaf Height in mm
Sp	Clear Passage Width of the Door Frame in mm
Hp	Clear Passage Height of the Door Frame in mm
Sz	Overall Door Frame Width in mm
Hz	Overall Door Frame Height in mm
So	Door Frame Installation Opening Width in mm
Ho	Door Frame Installation Opening Height in mm
Sc	Total Door Frame Width, Including Architraves, in mm
Hc	Total Door Frame Height, Including Architraves, in mm
Hc*	Total Door Frame Height with DELUX Architrave in mm
Hc**	Total Door Frame Height with PORTAL Architrave in mm

REVERSE-OPENING AND FIXED DOOR FRAMES

The ADJUSTABLE REVERSE-OPENING DOOR FRAME is structurally very similar to the non-rebated door frame. The key difference is the flush side, which is reversed in relation to the non-rebated version. If you want the door to sit flush with the hallway wall while still opening inward into the room to avoid striking someone in the corridor, the reverse-opening frame is the ideal solution.

Adjustment Range	
Code	Wall Thickness (mm) *
A	75-85
B	85-100
C	100-120
D	120-140
E	140-160
F	160-180
G	180-200
H	200-220
I	220-240
J	240-260
K	260-280
L	280-300
M	300-320
N	320-340
O	340-360
P	360-380
R	380-400
S	400-420
T	420-440
U	440-460
V	460-480
W	480-500



Single Panel



Double Panel

*The use of PRESTIGE or RETRO Decorative Door Frame Packages (pp. 84–85) reduces the adjustment range by 5 mm. In such cases, an adjustable architrave with an extended 42 mm tongue must be used.

FIXED DOOR FRAME– an economical frame solution for interior doors. It can be installed on virtually any wall type and thickness using additional architraves or quarter-round trim.

Adjustment Range	
Code	Wall Thickness (mm)
A	45x90



NEW

Methods for connecting reverse-rebate door frame casings



STANDARD Typ A – 45°



STANDARD Type B – 90°



Verison DELUX Type B – 90°



PORTAL Type C – 0°

Types of hinges

REVERSIBLE DOOR FRAME
Concealed 3D hinge



Magnetic lock included as standard for the adjustable reversible version.

FIXED DOOR FRAME
Two-pin hinge



ADHESIVE VERSION

Concealed 3D hinge



REBATELESS VERSION

Surcharges for the reverse-rebate door frame:

- "90" width, reversible version
- Width "100"
- Additional 3D concealed hinge for widths "60–80"
- 3D concealed reversible hinge in black or white (price per piece)
- Gold-colored 3D concealed reversible hinge (price per piece)
- Moisture-resistant door frame (range A–K)
- Moisture-resistant door frame (L–W range)
- DELUXE version – complete set for both sides
- PORTAL Version Type C – 0° (panel height 1000 mm) – for 1 side (single-leaf)
- Type B Connection – 90°
- Two-part version
- Two-tone version
- Shortening the door frame (-2 cm, -4 cm, -6 cm)

Surcharges for fixed door frames:

- "90" width, non-rebated version
- "100" width – rebated / non-rebated version
- Additional 3D concealed hinge for widths "60–80"
- 3D concealed hinge in black or white (price per piece)
- Gold-colored 3D concealed hinge (per piece)
- Shortening the door frame (-2 cm, -4 cm, -6 cm)

DOOR FRAMES

ADJUSTABLE REVERSE-OPENING



Width of single-leaf door	Ss	Hs	Sp	Hp	Sz	Hz	So	Ho	Sc1	Sc2	Hc1 / Hc1*	Hc2 / Hc2*
„60”	644		624		694		730		784	834	2108	2133
„70”	744		724		794		830		884	934	/	/
„80”	844	2030	824	2028	894	2063	930	2080	984	1034	2148*	2173*
„90”	944		924		994		1030		1084	1134	/	/
„100”	1044		1024		1094		1130		1184	1234	3028**	3053**

Width of double-leaf doors	Ss-A	Ss-P	Hs	Sp	Hp	Sz	Hz	So	Ho	Sc1	Sc2	Hc1 / Hc1*	Hc2 / Hc2*
„120”	618	631		1258		1328		1360		1418	1468		
„130”	718	631		1358		1428		1460		1518	1568		
„140”	718	731		1458		1528		1560		1618	1668		
	818	631		1458		1528		1560		1618	1668	2108	2133
„150”	818	731	2030	1558	2028	1628	2063	1660	2080	1718	1768	/	/
	918	631		1558		1628		1660		1718	1768	2148*	2173*
„160”	918	731		1658		1728		1760		1818	1868	/	/
	818	831		1658		1728		1760		1818	1868	3028**	3053**
„170”	918	831		1758		1828		1860		1918	1968		
„180”	918	931		1858		1928		1960		2018	2068		

FIXED REBATED



Ss	Hs	Sp	Hp	Sz	Hz	So	Ho
644		602		692		720	
744		702		792		820	
844	2030	802	2016	892	2061	920	2080
944		902		992		1020	
1044		1002		1092		1120	

FIXED NON-REBATED



Ss	Hs	Sp	Hp	Sz	Hz	So	Ho
620		602		692		720	
720		702		792		820	
820	2017	802	2016	892	2061	920	2080
920		902		992		1020	
1020		1002		1092		1120	

Legend:

Ss	Door Leaf Width
Ss-A	Active Door Leaf Width (Double-Leaf)
Ss-P	Inactive Door Leaf Width (Double-Leaf)
Hs	Door Leaf Height
Sp	Clear Passage Width of the Door Fram
Hp	Clear Passage Height of the Door Frame
Sz	Overall Door Frame Widthy
Hz	Overall Door Frame Height
So	Door Frame Installation Opening Width
Ho	Door Frame Installation Opening Height
Sc	Total Width of ADJUSTABLE Door Frame (with STANDARD Architraves)
Sc1	Total Width of REVERSE-OPENING Door Frame (Fixed Architrave Side)
Sc2	Total Width of REVERSE-OPENING Door Frame (Adjustable Architrave Side)
Hc	Total Height of ADJUSTABLE Door Frame (with STANDARD Architraves)
Hc*	Total Height of ADJUSTABLE Door Frame (with DELUX Architraves)*
Hc1	Total Height of REVERSE-OPENING Door Frame (Fixed Side, STANDARD)
Hc1*	Total Height of REVERSE-OPENING Door Frame (Fixed Side, DELUX)
Hc1**	Total Height of Door Frame (with Fixed PORTAL Architrave) in mm
Hc2	Total Height of REVERSE-OPENING Door Frame (Adjustable Side, STANDARD)
Hc2*	Total Height of REVERSE-OPENING Door Frame (Adjustable Side, DELUX)
Hc2**	Total Height (with Adjustable PORTAL Architrave)

GLASS ADJUSTABLE DOOR FRAME

The GLASS ADJUSTABLE DOOR FRAME is the most commonly used frame for glass interior doors. Thanks to adjustable construction and architraves on both sides, it can be installed in virtually any wall with a thickness from 75 to 500 mm. The standard architrave width is 80 mm. A version with an extended 120 mm top architrave is available for taller openings, as well as a PORTAL version featuring a decorative 700 mm top panel.

Adjustment Range	
Code	Wall Thickness (mm) *
A	75-85
B	85-100
C	100-120
D	120-140
E	140-160
F	160-180
G	180-200
H	200-220
I	220-240
J	240-260
K	260-280
L	280-300
M	300-320
N	320-340
O	340-360
P	360-380
R	380-400
S	400-420
T	420-440
U	440-460
V	460-480
W	480-500

*The use of PRESTIGE or RETRO Decorative Door Frame Packages (pp. 84–85) reduces the adjustment range by 5 mm. In such cases, an adjustable architrave with an extended 42 mm tongue must be used.



Single Panel



Double Panel

Surcharges:

- "90" width, non-rebated version
- "100" width – rebated / non-rebated version
- Additional 3D concealed hinge for widths "60–80"
- 3D concealed hinge in black or white (price per piece)
- Gold-colored 3D concealed hinge (per piece)
- Moisture-resistant adjustable door frame (range A–L / M–W)
- DELUX version (120 mm top casing) – set for both sides (single / double door)
- PORTAL version Type C – 0° (1000 mm panel) – for one side (single door)
- Two-part version: rebated / GLASS
- Two-part version: non-rebated
- Two-color version
- Door frame shortening (-2 cm, -4 cm, -6 cm)

Architrave Joint Options



STANDARD
Typ A – 45°



STANDARD
Typ B – 90°



DELUX
Typ B – 90°

NEW



PORTAL
Typ C – 0°

Hinge Type

REBATED VERSION
Two-Pin Hinge





Quantity:
• 3 hinges for all door widths

Steel hinge mounting pocket with a serrated locking clamp that prevents hinge deformation during use. Available exclusively with the Adjustable Door Frame.

DOOR FRAMES

The GLASS ADJUSTABLE DOOR FRAME - is based on the most popular adjustable rebated frame design. This ensures that all of its key

RONDO Single-Leaf



Double-Leaf



ARCOS Single-Leaf



Double-Leaf





Width of single-leaf door	Ss	Hs	Sp	Hp	Sz	Hz	So	Ho	Sc	Hc / Hc1*/ Hc2**
„60”	620	2017	602	2016	646	2038	680	2055	786	2108 / 2148* / 3028**
„70”	720		702		746		780		886	
„80”	820		802		846		880		986	
„90”	920		902		946		980		1086	
„100”	1020		1002		1046		1080		1186	

Width of double-leaf door	Ss-A	Ss-P	Hs	Sp	Hp	Sz	Hz	So	Ho	Sc	Hc / Hc1*/ Hc2**
„120”	620	630	2017	1236	2016	1280	2038	1310	2055	1420	2108 / 2148* / 3028**
„130”	720	630		1336		1380		1410		1520	
„140”	720	730		1436		1480		1510		1620	
	820	630		1436		1480		1510		1620	
„150”	820	730		1536		1580		1610		1720	
	920	630		1536		1580		1610		1720	
„160”	820	830		1636		1680		1710		1820	
	920	730		1636		1680		1710		1820	
„170”	920	830		1736		1780		1810		1920	
„180”	920	930		1836		1880		1910		2020	

Legend:

Ss	Door Leaf Width
Ss-A	Active Door Leaf Width (Double-Leaf Version)
Ss-P	Inactive Door Leaf Width (Double-Leaf Version)
Hs	Door Leaf Height
Sp	Clear Passage Width of the Door Frame
Hp	Clear Passage Height of the Door Frame
Sz	Overall Door Frame Width
Hz	Overall Door Frame Height
So	Door Frame Installation Opening Width
Ho	Door Frame Installation Opening Height
Sc	Total Width of the ADJUSTABLE Door Frame (with STANDARD Architraves)
Hc	Total Door Frame Height, Including Architraves
Hc*	Total Door Frame Height with DELUX Architrave
Hc**	Total Door Frame Height with PORTAL Architrave



SIDELIGHTS

The FIX sidelight is a glazing solution used for both side and top lights. It consists of an adjustable door frame, a durable fixed mullion within the frame structure, and a glass panel. This option is available for every door leaf type in both rebated and non-rebated versions.

Methods of joining casings in a transom window frame



STANDARD
Type A – 45°

STANDARD
Type B – 90°

Version DELUX
Type B – 90°



example featuring 33.1 milky safety glass with a muntin bar application

Set FIX 01

Top View
Single-Sided SIDE Sidelight FIX 01, 05 – Rebated



Top View
Double-Sided SIDE Sidelight FIX 01, 05 – Rebated



Side View
TOP Sidelight FIX 03, 04, 05, 06



Scope of regulation	
Code	Wall Thickness (mm)
A	75-85
B	85-100
C	100-120
D	120-140
E	140-160
F	160-180
G	180-200
H	200-220
I	220-240
J	240-260
K	260-280
L	280-300
M	300-320
N	320-340
O	340-360
P	360-380
R	380-400
S	400-420
T	420-440
U	440-460
V	460-480
W	480-500

Surcharge:

- Non-Rebated Version
- 6 mm Milky / Clear Glass
- 6 mm Smoked Graphite / Black / Decormat Glass
- 8 mm Smoked Graphite or Decormat Glass – STYL / GLASS
- Glass with a Single-Sided Design for the Complete FIX Set
- Glass with a Double-Sided Design for the Complete FIX Set
- Two-Color Version
- Width “90” – Non-Rebated Version
- Width “100” – Rebated / Non-Rebated Version
- Additional 3D Concealed Hinge for Widths “60–80”
- Black / White 3D Concealed Hinge (Per Piece)
- Gold 3D Concealed Hinge (Per Piece)
- DELUX Version (120 mm Top Architrave) – Set for Both Sides
- Double-Leaf Rebated / GLASS Version (FIX 04)
- Double-Leaf Non-Rebated Version (FIX 04)
- Two-Color Version

SIDELIGHTS

The sidelight position and door leaf handing are determined from the exterior side of the door, viewed from the hinge side.



	FIX 01				FIX 02				FIX 03				FIX 04				FIX 05				FIX 06			
	SwNB	Sz	HwNB	Hz	SwNB	Sz	HwNB	Hz	SwNG	Sz	HwNG	Hz	SwNG	Sz	HwNG	Hz	SwNB	Sz	HwNB	HwNG	Hz	SwNB	Sz	HwNB	HwNG	Hz
80	200	1110			200	1374											200	1110				200	1374			
	250	1160			250	1474											250	1160				250	1474			
	300	1210			300	1574											300	1210				300	1574			
	350	1260			350	1674											350	1260				350	1674			
	400	1310			400	1774			802	986							400	1310				400	1774			
	450	1360			450	1874											450	1360				450	1874			
	500	1410			500	1974											500	1410				500	1974			
	550	1460			-	-											550	1460				-	-			
	600	1510			-	-											600	1510				-	-			
90	200	1210			200	1474											200	1210				200	1474			
	250	1260			250	1574					148	2250			148	2250	250	1260		148	2250	250	1574		148	2250
	300	1310			300	1674					198	2300			198	2300	300	1310		198	2300	300	1674		198	2300
	350	1360			350	1774					248	2350			248	2350	350	1360		248	2350	350	1774		248	2350
	400	1410	1972	2038	400	1874	1972	2038	902	1086	298	2400	wg. tabeli (Sz) ze strony 77,81	wg. tabeli (Sp) ze strony 77,81	298	2400	400	1410	1972	298	2400	400	1874	1972	298	2400
	450	1460			450	1974					348	2450			348	2450	450	1460		348	2450	450	1974		348	2450
	500	1510			-	-					398	2500			398	2500	500	1510		398	2500	-	-		398	2500
	550	1560			-	-					448	2550			448	2550	550	1560		448	2550	-	-		448	2550
	600	1610			-	-					498	2600			498	2600	600	1610		498	2600	-	-		498	2600
100	200	1310			200	1574											200	1310				200	1574			
	250	1360			250	1674											250	1360				250	1674			
	300	1410			300	1774											300	1410				300	1774			
	350	1460			350	1874											350	1460				350	1874			
	400	1510			400	1974			1002	1186							400	1510				400	1974			
	450	1560			-	-											450	1560				-	-			
	500	1610			-	-											500	1610				-	-			
	550	1660			-	-											550	1660				-	-			
	600	1710			-	-											600	1710				-	-			

A Sidelight Positioned on the HINGE Side (FIX 01, 05)

B Sidelight Positioned on the LOCK Side (FIX 01, 05)

P RIGHT-Hand Door Leaf

L LEFT-Hand Door Leaf

SwNB Internal Width of the SIDE Sidelight

HwNB Internal Height of the SIDE Sidelight

SwNG Internal Width of the TOP Sidelight

HwNG Internal Height of the TOP Sidelight

Sz Overall Width of the Door Frame Set

Hz Overall Height of the Door Frame Set

Sc Total Door Frame Width, Including Architraves, in mm = Sz + 140 mm

Hc Total Door Frame Height, Including Architraves, in mm = Hz + 70 mm

DECORATIVE DOOR FRAME ELEMENTS

DECORATIVE DOOR FRAME PACKAGES

PRESTIGE I · Decorative Header and Moldings
(Installed on STANDARD Architraves)

1



RETRO I · Decorative Header and Moldings
(Installed on STANDARD Architraves)

2



PRESTIGE II · Decorative Moldings
(Installed on STANDARD Architraves)

3



RETRO II · Decorative Moldings
(Installed on STANDARD Architraves)

4



ADJUSTABLE ARCHITRAVES

Set of Pre-Cut Adjustable Architraves for One Side of the Door Frame)

NEW

5 **STANDARD**



6 **DELUX**



7 **PORTAL**



ARCHITRAVES AND TRIM MOLDINGS

8 **FLAT ARCHITRAVE**
16 x 80 mm

9 **QUARTER-ROUND MOLDING**
12 x 21 mm



10 **BASEBOARDS**
Made from Moisture-Resistant MDF, 14 × 80 mm



DECORATIVE DOOR FRAME ELEMENTS

Dimension Table for Adjustable Door Frames with Decorative Elements

Sc - Total Width
Hc - Total Height

		PACKAGE					ADJUSTABLE ARCHITRAVE					
		1 PRESTIGE I	2 RETRO I	3 4 PRESTIGE II RETRO II	1 2 PRESTIGE I RETRO I	3 4 PRESTIGE II RETRO II	5 6 STANDARD / DELUX	5 STANDARD	6 DELUX	6 DELUX Reverse-Opening	7 PORTAL Non-Rebated	7 PORTAL Reverse-Opening
	Szerokość drzwi	Sc			Hc		Sc	Hc				
Width of single-leaf door	**„60”**	863	875	830	2200	2130	786	2108	2148	2148*/ 2173**	3028	3028*/ 3053**
	„70”	963	975	930			886					
	„80”	1063	1075	1030			986					
	„90”	1163	1175	1130			1086					
	„100”	1263	1275	1230			1186					
Width of double-leaf doors	**„120”**	1497	1509	1465	2200	2130	1420	2108	2148	2148*/ 2173**	3028	3028*/ 3053**
	„130”	1597	1609	1565			1520					
	„140”	1697	1709	1665			1620					
	„150”	1797	1809	1765			1720					
	„160”	1897	1909	1865			1820					
	„170”	1997	2009	1965			1920					
	„180”	2097	2109	2065			2020					

*Dimensions apply to the fixed architrave side of the door frame.
**Dimensions apply to the adjustable architrave side of the door frame.

ADDITIONAL CHARGES

Prices Apply to One Set for One Side of the Door — ościeznica 1-dz. / 2-dz.



1
2
PRESTIGE I / RETRO I Package
Complete Set of Decorative Header and Moldings — **YES / YES**



3
4
PRESTIGE II / RETRO II Package
Complete Set of Decorative Moldings — **YES / YES**



5
STANDARD Architraves
Ordered Separately, 26 mm Tongue — **YES / YES**
Ordered Separately, Extended 42 mm Tongue — **YES / YES**



6
Architraves for the DELUX Door Frame Version
Ordered Separately, 26 mm Tongue — **YES / YES**
Ordered Separately, Extended 42 mm Tongue — **YES / YES**



7
Architraves for the Door Frame Version with a PORTAL Panel
Ordered Separately, 26 mm Tongue — **YES / –**
Ordered Separately, Extended 42 mm Tongue — **YES / –**

8
FLAT TRIM ARCHITRAVES
Price Applies to a Set of 2 Architraves — **YES / YES**
2 pcs. witdh 2,2 m oraz 1 pcs. 1,1 m — **YES / YES**

9
QUARTER-ROUND MOLDING
Price Applies to One 2.2 m Molding — **YES / YES**

10
BASEBOARD
Price Applies to One 2.75 m Baseboard — **YES / YES**

ACCESSORIES

DOOR LOCKS

Compatible Exclusively with Handles Featuring Split Escutcheons

For Hinged Doors

LOCK FINISH
- Brushed Chrome
- Gold
- black
- white



STANDARD do drzwi przylgowych

LOCK FINISH
- Satin Chrome
- Gold
- black
- white



MAGNETYCZNY do drzwi bezprzylgowych i rewersyjnych

LOCKS AND PULL HANDLES

FOR SLIDING DOORS

LOCK FINISH
- chrom
- Satin chrome
- Gold
- black



HOOK LOCK with Rounded Pull Handle



HOOK LOCK with Rectangular Pull Handle



Rounded Pull Handle



Rectangular Pull Handle

Available in
- KL key
- WKP Cylinder

HINGE COVERS

Aluminiowe „ALUX”

NEW



Polished Chrome | Satin Chrome | Polished Gold | Cashmere | white | mat black

Brass „RETRO”



Antique Brass

HINGES FOR NON-REBATED DOORS



satin chrome | gold | mat black | white

GLASS TYPES

TRANSPARENT | TRANSLUCENT | OPAQUE



Clear | Smoked Graphite | Milky | Decormat | Black

A - 6 mm VSG Safety Glass (Stile and Rail Doors)
B - 8 mm VSG Safety Glass (STYL)
C - 8 mm ESG Safety Glass (GLASS)

GLASS DESIGN TYPES

On 6 mm Milky VSG Safety Glass for Stile and Rail Doors

- Sandblasted Design – 6 mm Width
- Painted Design – 25 mm Width



Single Frame | Double Frame | Combined Frame | Grid | Horizontal Lines | Bar

VENTILATION SYSTEMS



Stile and Rail Doors | Glass

LOCK CYLINDER



MAGNETIC DOOR STOP



- No Protruding Parts
- No Tripping Hazard
- Does Not Damage the Door Leaf
- Quick and Easy Installation

Drop Seal



The amounts shown are net prices and do not include VAT.

HANDLES

VARIANT	MODEL	FINISH
kolor 03, 19, 20 05	GOYA* NEW	
kolor 01, 03, 19 05	OMA* NEW	
kolor 03, 20, 26 25	SENSO* NEW	
kolor 03, 21	LUNA Slim* NEW	
kolor 02, 09 22	UNICO*	

VARIANT	MODEL	FINISH
kolor 03, 23, 24	SCALA* NEW	
kolor 03, 10 04, 11	CUBE Q*	
kolor 03, 04, 10, 11	BELLA R Slim*	
kolor 02, 09 22	ORGANIC*	
kolor 07	VENTO*	

Original factory drilling for handles from the Barański Doors collection is available at no additional charge.

Colors



01 Chrom	02 Satin Chrom	10 Brushed Chrome	19 Nikiel NEW	24 Matt Brushed Nickel NEW	21 Satin NEW	26 Matt satin NEW	04 Polished Gold	05 Matt Gold	11 Satin Gold	23 Brushed Brass NEW	25 Satin Brass NEW	07 Antique Brass	20 Titanium NEW	22 Cashmere NEW	09 Textured Black	03 Matt Black

*Handle prices may vary depending on the selected finish. Due to the printing process, the colors shown may differ slightly from the actual product colors.
The manufacturer reserves the right to change prices and product availability without prior notice. The manufacturer also reserves the right to correct any printing errors.

This catalog does not constitute an offer within the meaning of the Civil Code and is published for informational purposes only.
This catalog edition is valid from May 30, 2026. All previous editions covering the same product range become invalid as of that date.



INSTAGRAM



TIK-TOK



CATALOGS

Barański®
DRZWI

www.baranskidrzwi.pl