Barański®
DRZWI

APARTMENT ENTRANCE & TECHNICAL

SMART DOORS

2026 EDITION 2





A HIGHER STANDARD **OF DOORS**

Barański®
DRZWI

TIK-TOK

INSTAGRAM

Barański Drzwi is one of the largest woodworking manufacturers in Poland. We are wood experts, and we know virtually everything there is to know about it. For more than 30 years, in the heart of the Warmia and Masuria region, we have been crafting premium-quality doors distinguished by their original design. We carefully oversee every stage of the manufacturing process and pay exceptional attention to even the smallest details. Every door collection we offer stands out in its class through outstanding design, superior craftsmanship, and innovative technological solutions.

WHAT SETS
SMART DOORS APART

Solid Wood Construction

Barański Smart doors are built with laminated pine timber reinforced with steel profiles for exceptional durability and resistance to warping. The door leaf core incorporates an acoustic insulation package, providing outstanding sound reduction.

Premium Hardware

Every material and accessory is carefully selected to ensure long-lasting, reliable performance. Apartment entrance doors come standard with two multipoint locks and a stylish anodized Comfort handle available in three finishes.

Refined Finish

The doors are finished with durable PVC laminates, while seamless edge technology gives the rebated edges an exceptionally elegant appearance. They are also available in painted finishes in more than 200 RAL colors.

Special Features

Apartment entrance doors provide a standard sound insulation rating of 34 dB, with an option to increase it to 44 dB. They can also be equipped with RC2 or RC3 burglary-resistant packages.
Technical doors are designed for residential buildings, public facilities, and fire-rated zones. They offer EI30/EI60 fire resistance, sound insulation ranging from 34 to 46 dB, and an optional RC3 burglary-resistant package. See the adjacent table for available configurations.

SMART DOOR SPECIFICATION TABLE

DOOR TYPE	FEATURES	PERFORMANCE			DOOR FRAME TYPE
		Sound Insulation	Burglary Resistance	Fire Resistance	
Apartment Entrance	Acoustic	34 dB 44 dB	–	–	Wooden
	Acoustic with RC2 Burglary Resistance	34 dB 44 dB	RC 2	–	
	NEW Acoustic with RC3 Burglary Resistance	44 dB	RC 3	–	
Technical	HOTEL NEW Fire-Rated and Acoustic	45 dB 46 dB	–	EI 30	Steel, Wooden
	APARTMENT NEW Fire-Rated, Acoustic, and Burglary-Resistant	46 dB	RC 3	EI 30	Wooden
	UNIVERSAL Fire-Rated	34 dB	–	EI 30 EI 60	Wooden

WARMIA MAZURY PRODUKT®

STANDARD COLLECTION

PVC LAMINATE

PVC Laminate


1

3 - White


6


7


12


13


14


21


23


25


28


31


32


33


34 - Horizontal Grain


35 - Horizontal Grain


36 - Anthracite


37 - Black


38


39 - Cappuccino



40



41

PVC Laminate

Finished with modern PVC laminates offering enhanced resistance to abrasion, moisture, and mechanical damage.

Straight Oak

Finished with natural oak veneer featuring a relatively straight grain pattern. The authentic beauty of natural wood.

Crown-Cut Oak

Finished with a special oak veneer distinguished by its characteristic cathedral grain pattern. It looks especially striking in lighter finishes, such as Natural Oak.

Textured RAL

This finish allows selected opaque RAL colors to be applied while preserving the natural wood texture. The doors are finished with ash veneer.

Smooth RAL

As the name suggests, this finish allows selected opaque RAL colors to be applied while creating a perfectly smooth door surface. The doors are finished with HDF and MDF boards.

STANDARD COLLECTION
PAINTED COLOR

Barański® SMART

Straight Oak & Crown-Cut Oak


01 Speckled


02 Natural Oak


03 Cappuccino


04 Grey


05 Golden Oak


06 Calvados


07 Almond


08 Light Brown


09 Brown

Surcharges:

- Different Color for the Door Leaf than the Door Frame
- Two-Color Door Leaf Finish
- Two-Color Door Frame Finish
- Non-Standard RAL Color

Textured RAL

Signal White – RAL 9003

Traffic White – RAL 9016


Milky Grey – RAL 7047


Stone Grey – RAL 7030


Olive Green – RAL 6003


Pacific Blue – RAL 5008


Black – RAL 9004

Other RAL Colors Available Upon Request

Smooth RAL

Signal White – RAL 9003

Traffic White – RAL 9016

Milky Grey – RAL 7047

standard


Stone Grey – RAL 7030


Olive Green – RAL 6003


Pacific Blue – RAL 5008

Exceptional **Colors**

Due to the natural variation in wood grain and color, the finished product may differ from the color sample. Variations in grain pattern, knots, mineral streaks, natural discoloration, and shade differences between individual door components are inherent characteristics of natural wood and veneers and therefore do not constitute grounds for a warranty claim.

TABLE OF **CONTENTS**



APARTMENT ENTRANCE DOORS

MODERN	08-13
INOX	14-17
CLASSIC	18-21
RETRO	22-25

DOOR CONSTRUCTIONS

ACOUSTIC APARTMENT ENTRANCE DOORS	26
ACOUSTIC AND BURGLARY-RESISTANT APARTMENT ENTRANCE DOORS	27
HOTEL TECHNICAL DOORS	28
APARTMENT TECHNICAL DOORS	29
DOOR FRAMES	30-32
THRESHOLDS AND Optional Features	33
UNIVERSAL FIRE-RATED TECHNICAL DOORS	34-35

OTHER

OPTIONS AND ACCESSORIES	36-37
DECORATIVE PANELS	38





Model: MODERN S 01
Finish: PVC Laminate
Color: PVC Laminate No. 12
Door Frame: Adjustable Rebated
Architraves: Type A Joint – 45°
Handle: Customer-Supplied

Collection MODERN

The MODERN Collection is designed for those who appreciate contemporary apartment entrance doors. It is distinguished by smooth surfaces enhanced with subtle routed details.

Available Finishes

PVC Laminate | Textured RAL | Smooth RAL

Available Options

ACOUSTIC

34 dB | 44 dB

BURGLARY-RESISTANT

RC 2 | RC 3 | NEW 34 dB | 44 dB

FIRE-RATED

EI 30 | EI 60 | 34 dB

Warranty

2-Year

CLEAR OPENING WIDTH [cm]

Standard

75 | 80 | 85 | 90

At an Additional Charge*

95 | 100 | NON-STANDARD

CLEAR OPENING HEIGHT [cm]

Standard

199 | 202 | 205

At an Additional Charge*

< 199 | > 205 do 225 | NON-STANDARD



Architraves: Type A Joint – 45°

Model: MODERN S 01
Finish: PVC Laminate
Color: PVC Laminate No. 12
Door Frame: Adjustable Rebated
Architraves: Type A Joint – 45°
Handle: Customer-Supplied



Swing Door

The Standard Door Set Includes:

34 dB Door Leaf | Fixed Door Frame | Aluminum Threshold | 2 Standard Lock Cylinders | Medos Comfort Handle | Door Viewer | Hinge Covers

Additional Charges on p. 33*
Dimensions for Individual Door Frame Types on pp. 30–32

Collection MODERN

Barański® SMART

S 01



PVC Laminate No. 31

S 02



PVC Laminate No. 28

S 03



PVC Laminate No. 1

S 04



PVC Laminate No. 7

Available Finishes for Model S 01:

PVC Laminate | Straight Oak | Crown-Cut Oak | Textured RAL | Smooth RAL



Surcharges:

- 44 dB Sound Insulation
- RC2 Burglary-Resistant Door Package
- RC3 Burglary-Resistant Door Package (Rw = 44 dB)
- Multipoint Locking Strip
- Single-Sided Fixed Architrave in PVC Laminate
- Single-Sided Painted Fixed Architrave
- Single-Sided Adjustable Architrave in PVC Laminate
- Single-Sided Painted Adjustable Architrave

- EI30 Fire-Rated Construction
- EI60 Fire-Rated Construction
- Drop Seal
- Door Frames pp. 30–32/35
- Panels p. 38
- Options and Accessories pp. 36–37

Collection MODERN

S 05



PVC Laminate No. 14v

S 06



PVC Laminate No. 23

S 08



PVC Laminate No. 12

S 09



PVC Laminate No. 13

Surcharges:

- 44 dB Sound Insulation
- RC2 Burglary-Resistant Door Package
- RC3 Burglary-Resistant Door Package (Rw = 44 dB)
- Multipoint Locking Strip
- Single-Sided Fixed Architrave in PVC Laminate
- Single-Sided Painted Fixed Architrave
- Single-Sided Adjustable Architrave in PVC Laminate
- Single-Sided Painted Adjustable Architrave
- EI30 Fire-Rated Construction
- EI60 Fire-Rated Construction
- Drop Seal
- Door Frames pp. 30–32/35
- Panels p. 38
- Options and Accessories pp. 36-37

Collection MODERN

Barański® SMART

S 10



PVC Laminate No. 28

S 11



PVC Laminate No. 33

S 12



PVC Laminate No. 1

S 25



PVC Laminate No. 36 – Anthracite

Available Finishes

PVC Laminate | Textured RAL | Smooth RAL

Surcharges:

- 44 dB Sound Insulation
- RC2 Burglary-Resistant Door Package
- RC3 Burglary-Resistant Door Package (Rw = 44 dB)
- Multipoint Locking Strip
- Single-Sided Fixed Architrave in PVC Laminate
- Single-Sided Painted Fixed Architrave
- Single-Sided Adjustable Architrave in PVC Laminate
- Single-Sided Painted Adjustable Architrave

- EI30 Fire-Rated Construction
- EI60 Fire-Rated Construction
- Drop Seal
- Door Frames pp. 30–32/35
- Panels p. 38
- Options and Accessories pp. 36–37

Collection MODERN

S 13



PVC Laminate No. 1 • Black Class B Inlays – Additional Charge PLN 250

S 14



PVC Laminate No. 35 – Horizontal Grain • Black Class B Inlays – Additional Charge PLN 250

S 16



PVC Laminate No. 28 • Black Class B Inlays – Additional Charge PLN 250

S 17



PVC Laminate No. 32 • Black Class B Inlays – Additional Charge PLN 250

Surcharges:

- 44 dB Sound Insulation
- RC2 Burglary-Resistant Door Package
- RC3 Burglary-Resistant Door Package (Rw = 44 dB)
- Multipoint Locking Strip
- Single-Sided Fixed Architrave in PVC Laminate
- Single-Sided Painted Fixed Architrave
- Single-Sided Adjustable Architrave in PVC Laminate
- Single-Sided Painted Adjustable Architrave
- EI30 Fire-Rated Construction
- EI60 Fire-Rated Construction
- Drop Seal
- Door Frames pp. 30–32/35
- Panels p. 38
- Options and Accessories pp. 36–37

Collection MODERN

Barański® SMART

S 21



Door Leaf – PVC Laminate No. 38; Door Frame – PVC Laminate No. 37, Black

S 22



Door Leaf – PVC Laminate No. 23; Door Frame – PVC Laminate No. 37, Black

S 23



PVC Laminate No. 37 – Black

S 24



PVC Laminate No. 36 – Anthracite

Available Finishes

PVC Laminate | Textured RAL | Smooth RAL

Surcharges:

- 44 dB Sound Insulation
- RC2 Burglary-Resistant Door Package
- RC3 Burglary-Resistant Door Package (Rw = 44 dB)
- Multipoint Locking Strip
- Single-Sided Fixed Architrave in PVC Laminate
- Single-Sided Painted Fixed Architrave
- Single-Sided Adjustable Architrave in PVC Laminate
- Single-Sided Painted Adjustable Architrave

- EI30 Fire-Rated Construction
- EI60 Fire-Rated Construction
- Drop Seal
- Door Frames pp. 30–32/35
- Panels p. 38
- Options and Accessories pp. 36–37

Collection INOX

The INOX Collection is designed for bold individuals who appreciate distinctive style and modern design solutions. It features smooth surfaces enhanced with decorative aluminum inlays, installed on both sides as standard.

Available Finishes

PVC Laminate | Straight Oak | Crown-Cut Oak | StrukturaTextured RAL | Smooth RAL

Available Options

ACOUSTIC

34 dB | 44 dB

BURGLARY-RESISTANT

RC 2 | RC 3 | NEW 34 dB | 44 dB

FIRE-RATED

EI 30 | EI 60 | 34 dB



Architrave Joint: Type A – 45°

Warranty

2 Years

CLEAR OPENING WIDTH [cm]

Standard

75 | 80 | 85 | 90

At an Additional Charge*

95 | 100 | NON-STANDARD

CLEAR OPENING HEIGHT [cm]

Standard

199 | 202 | 205

At an Additional Charge*

< 199 | > 205 do 225 | NON-STANDARD

Model: INOX S 109
Finish: PVC Laminate
Color: PVC Laminate No. 13
Door Frame: Adjustable Rebated
Architraves: Type A Joint – 45°
Handle: AXA Haga Plus

Swing door

The Standard Door Set Includes:

34 dB Door Leaf | Fixed Door Frame | Aluminum Threshold | 2 Standard Lock Cylinders | Medos Comfort Handle | Door Viewer | Hinge Covers

Additional Charges on p. 33*
Dimensions for Individual Door Frame Types on pp. 30–32

Collection INOX

Barański® SMART

S 100



PVC Laminate No. 34 – Horizontal Grain

S 101



PVC Laminate No. 38

S 102



PVC Laminate No. 32

S 103



PVC Laminate No. 7

Available Finishes for Model S 01:

PVC Laminate | Straight Oak | Crown-Cut Oak | Textured RAL | Smooth RAL

Surcharges:

- 44 dB Sound Insulation
- RC2 Burglary-Resistant Door Package
- RC3 Burglary-Resistant Door Package (Rw = 44 dB)
- Multipoint Locking Strip
- Single-Sided Fixed Architrave in PVC Laminate
- Single-Sided Painted Fixed Architrave
- Single-Sided Adjustable Architrave in PVC Laminate
- Single-Sided Painted Adjustable Architrave

- EI30 Fire-Rated Construction
- EI60 Fire-Rated Construction
- Drop Seal
- Door Frames pp. 30–32/35
- Panels p. 38
- Options and Accessories pp. 36–37

Collection **INOX**

S 104



PVC Laminate No. 13

S 105



PVC Laminate No. 25

S 106



PVC Laminate No. 28

S 107



PVC Laminate No. 35 – Horizontal Grain

Surcharges:

- 44 dB Sound Insulation
- RC2 Burglary-Resistant Door Package
- RC3 Burglary-Resistant Door Package (Rw = 44 dB)
- Multipoint Locking Strip
- Single-Sided Fixed Architrave in PVC Laminate
- Single-Sided Painted Fixed Architrave
- Single-Sided Adjustable Architrave in PVC Laminate
- Single-Sided Painted Adjustable Architrave
- EI30 Fire-Rated Construction
- EI60 Fire-Rated Construction
- Drop Seal
- Door Frames pp. 30–32/35
- Panels p. 38
- Options and Accessories pp. 36-37

Collection INOX

Barański® SMART

S 108



PVC Laminate No. 12

S 109



PVC Laminate No. 6

S 110



PVC Laminate No. 33

S 111



PVC Laminate No. 36 – Anthracite

Available Finishes for Model S 01:



PVC Laminate | Straight Oak | Crown-Cut Oak | Textured RAL | Smooth RAL

Surcharges:

- 44 dB Sound Insulation
- RC2 Burglary-Resistant Door Package
- RC3 Burglary-Resistant Door Package (Rw = 44 dB)
- Multipoint Locking Strip
- Single-Sided Fixed Architrave in PVC Laminate
- Single-Sided Painted Fixed Architrave
- Single-Sided Adjustable Architrave in PVC Laminate
- Single-Sided Painted Adjustable Architrave

- EI30 Fire-Rated Construction
- EI60 Fire-Rated Construction
- Drop Seal
- Door Frames pp. 30–32/35
- Panels p. 38
- Options and Accessories pp. 36–37

Collecition CLASSIC

The CLASSIC Collection features rich, timeless designs that blend perfectly with traditional interiors, bringing warmth and elegance to every apartment entrance. The collection is distinguished by deep, refined routed details that give each door a unique and distinctive character.

Available Finishes

PVC Laminate

Smooth RAL

Available Options



Fixed Door Frame

ACOUSTIC

34 dB | 44 dB

BURGLARY-RESISTANT

NEW

RC 2 | RC 3 | 34 dB | 44 dB

FIRE-RATED

EI 30 | EI 60 | 34 dB

Warranty

2 Years

CLEAR OPENING WIDTH [cm]

Standard

75 | 80 | 85 | 90

At an Additional Charge*

95 | 100 | NON-STANDARD

CLEAR OPENING HEIGHT [cm]

Standard

199 | 202 | 205

At an Additional Charge*

< 199 | > 205 do 225 | NON-STANDARD

Model: CLASSIC S 209
Finish: PVC Laminate
Color: PVC Laminate No. 13
Door Frame: Fixed
Handle: Black Medos Comfort

Swing door

The Standard Door Set Includes:

- 34 dB Door Leaf
- Fixed Door Frame
- Aluminum Threshold
- 2 Standard Lock Cylinders
- Medos Comfort Handle
- Door Viewer
- Hinge Covers

Additional Charges on p. 33*
Dimensions for Individual Door Frame Types on pp. 30–32

Collection CLASSIC

Barański® SMART

S 200



PVC Laminate No. 6

S 201



PVC Laminate No. 14

S 202



PVC Laminate No. 3 – White

S 203



PVC Laminate No. 23

Available Finishes for Model S 01:

PVC Laminate

Smooth RAL

Surcharges:

- 44 dB Sound Insulation
- RC2 Burglary-Resistant Door Package
- RC3 Burglary-Resistant Door Package (Rw = 44 dB)
- Multipoint Locking Strip
- Single-Sided Fixed Architrave in PVC Laminate
- Single-Sided Painted Fixed Architrave
- Single-Sided Adjustable Architrave in PVC Laminate
- Single-Sided Painted Adjustable Architrave
- EI30 Fire-Rated Construction
- EI60 Fire-Rated Construction
- Drop Seal
- Door Frames pp. 30–32/35
- Panels p. 38
- Options and Accessories pp. 36–37

Collection **CLASSIC**

S 204



PVC Laminate No. 3 – White

S 205



PVC Laminate No. 33

S 206



PVC Laminate No. 37 – Black

S 207



PVC Laminate No. 13

Available Finishes for Model S 01:

PVC Laminate

Smooth RAL

Surcharges:

- 44 dB Sound Insulation
- RC2 Burglary-Resistant Door Package
- RC3 Burglary-Resistant Door Package (Rw = 44 dB)
- Multipoint Locking Strip
- Single-Sided Fixed Architrave in PVC Laminate
- Single-Sided Painted Fixed Architrave
- Single-Sided Adjustable Architrave in PVC Laminate
- Single-Sided Painted Adjustable Architrave
- EI30 Fire-Rated Construction
- EI60 Fire-Rated Construction
- Drop Seal
- Door Frames pp. 30–32/35
- Panels p. 38
- Options and Accessories pp. 36–37

Collection CLASSIC

Barański® SMART

S 208



PVC Laminate No. 21

S 209



PVC Laminate No. 12

S 210



PVC Laminate No. 25

S 211



PVC Laminate No. 38

Available Finishes for Model S 01:

PVC Laminate

Smooth RAL

Surcharges:

- 44 dB Sound Insulation
- RC2 Burglary-Resistant Door Package
- RC3 Burglary-Resistant Door Package (Rw = 44 dB)
- Multipoint Locking Strip
- Single-Sided Fixed Architrave in PVC Laminate
- Single-Sided Painted Fixed Architrave
- Single-Sided Adjustable Architrave in PVC Laminate
- Single-Sided Painted Adjustable Architrave
- EI30 Fire-Rated Construction
- EI60 Fire-Rated Construction
- Drop Seal
- Door Frames pp. 30–32/35
- Panels p. 38
- Options and Accessories pp. 36–37

Collection RETRO

The RETRO Collection was created for those who appreciate classic style and elegance. Its signature feature is the applied decorative molding. These doors complement both restored historic buildings and contemporary architecture.

Available Finishes



Straight Oak | Crown-Cut Oak | StrukturaTextured RAL | Smooth RAL

Available Options

ACOUSTIC

34 dB | 44 dB

BURGLARY-RESISTANT

NEW

RC 2 | RC 3 | 34 dB | 44 dB

FIRE-RATED

EI 30 | EI 60 | 34 dB

Warranty



2 Years



Fixed Door Frame

Model: RETRO S 300
Finish: Smooth RAL
Color: Stone Grey – RAL 7030
Door Frame: Fixed
Handle: Medos Comfort

CLEAR OPENING WIDTH [cm]

Standard

75 | 80 | 85 | 90

At an Additional Charge*

95 | 100 | NON-STANDARD

CLEAR OPENING HEIGHT [cm]

Standard

199 | 202 | 205

At an Additional Charge*

< 199 | > 205 do 225 | NON-STANDARD



Swing door

The Standard Door Set Includes:



34 dB Door Leaf | Fixed Door Frame | Aluminum Threshold | 2 Standard Lock Cylinders | Medos Comfort Handle | Door Viewer | Hinge Covers

Additional Charges on p. 33*
Dimensions for Individual Door Frame Types on pp. 30–32

Collection RETRO

Barański® SMART

S 300



S 301



S 302



S 303



Presented Configurations

Finish: Smooth RAL
Color: Stone Grey – RAL 7030

Available Finishes



Straight Oak | Crown-Cut Oak | Textured RAL | Smooth RAL

Surcharges:

- 44 dB Sound Insulation
- RC2 Burglary-Resistant Door Package
- RC3 Burglary-Resistant Door Package (Rw = 44 dB)
- Multipoint Locking Strip
- Single-Sided Fixed Architrave in PVC Laminate
- Single-Sided Painted Fixed Architrave
- Single-Sided Adjustable Architrave in PVC Laminate
- Single-Sided Painted Adjustable Architrave

- EI30 Fire-Rated Construction
- EI60 Fire-Rated Construction
- Drop Seal
- Door Frames pp. 30–32/35
- Panels p. 38
- Options and Accessories pp. 36–37



Model: RETRO S 301
Finish: Smooth RAL
Color: RAL 1013
Door Frame: Fixed with an Adjustable Architrave
Handle: Jupiter 225, Stainless Steel

Collection RETRO

Barański® SMART

S 304



S 305



S 306



S 307



Presented Configurations

Finish: Smooth RAL
Color: RAL 1013

Available Finishes



Straight Oak | Crown-Cut Oak | Textured RAL | Smooth RAL



Surcharges:

- 44 dB Sound Insulation
- RC2 Burglary-Resistant Door Package
- RC3 Burglary-Resistant Door Package (Rw = 44 dB)
- Multipoint Locking Strip
- Single-Sided Fixed Architrave in PVC Laminate
- Single-Sided Painted Fixed Architrave
- Single-Sided Adjustable Architrave in PVC Laminate
- Single-Sided Painted Adjustable Architrave

- EI30 Fire-Rated Construction
- EI60 Fire-Rated Construction
- Drop Seal
- Door Frames pp. 30–32/35
- Panels p. 38
- Options and Accessories pp. 36–37

APARTMENT ENTRANCE
ACOUSTIC DOORS



Upper Security Lock



Lower Security Lock, **MEDOS COMFORT** Handle Included as Standard



Adjustable Upper Strike Plate in the Door Frame





Unique Seamless Lamination Technology on the Rebated Edge



- Set of 3 Ø16 Hinges with 3D Adjustment,
- 3 Security Pins,
- 2 Seals



Door Viewer Included as Standard

Standard Handles



MEDOS COMFORT Antique Gold



MEDOS COMFORT Stainless Steel



MEDOS COMFORT Black

Cross-Section of the Fixed Door Frame







Painted Wooden Threshold Matching the PVC Laminate Color, 70 × 20 mm – Optional



Painted Ash Wood Threshold, 70 × 20 mm – Optional



Drop Seal – Optional



Aluminum Threshold 90 × 20 mm – Standard



Fixed Door Frame 100 × 50 mm

TECHNICAL DESCRIPTION

- Frame and Panel Door Construction
- The door frame and door leaf frame are made of laminated timber and finished with PVC laminate or HDF facing boards painted in opaque RAL colors.
- Door leaf thickness: 50 mm; fixed door frame: 100 × 50 mm.
- 20 mm aluminum threshold installed between the door frame profiles with an integrated seal.

STANDARD EQUIPMENT

- Set of 3 Ø16 Hinges with 3D Adjustment
- Seals in Both the Door Frame and Door Leaf
- 3 Security Pins
- 2 Locks
- 34 dB Acoustic Insulation Package or 44 dB as an Option
- Medos Comfort Handle in Three Finishes: Stainless Steel, Antique Gold, or Black
- 2 Standard Lock Cylinders in a Master-Key System, Stainless Steel or Antique Finish
- Aluminum Threshold
- Door Viewer: Stainless Steel, Antique Finish, or Black
- Set of Hinge Covers Matched to the Handle Finish

APARTMENT ENTRANCE RC2/RC3
ACOUSTIC & BURGLARY-RESISTANT

NEW

Barański® SMART



RC2 – 2 Straight Locking Bolts



AXA DIVA Handle



RC3 – 2 Hook Bolts



Multipoint Lock



RC2 – 72 mm Handle Center Distance
RC3 – 92 mm Handle Center Distance





Unique Seamless Lamination Technology on the Rebated Edge



RC2
- Set of 3 Hinges with 3D Adjustment
- 6 Security Pins Locked into Steel Bushings



RC3
- Set of 4 Hinges with 3D Adjustment
- 6 Security Pins Locked into the Security Strip



Painted Wooden Threshold Matching the PVC Laminate Color, 70 × 20 mm – Optional



Painted Ash Wood Threshold, 70 × 20 mm – Optional



Drop Seal – Optional



Aluminum Threshold 90 × 20 mm – Standard



Fixed Door Frame 100 × 50 mm



Door Viewer Included as Standard

RC2 / RC3 burglary resistance is certified only for inward-opening doors.

Cross-Section of the Fixed Door Frame

34 dB
RC 2



44 dB
RC 2
RC 3



TECHNICAL DESCRIPTION

- Frame and Panel Door Construction
- The door frame and door leaf frame are made of laminated timber and finished with PVC laminate or HDF facing boards painted in opaque RAL colors.
- Door leaf thickness: 53 mm; fixed door frame: 100 × 50 mm.
- 20 mm aluminum threshold installed between the door frame profiles with an integrated seal.
- Doors comply with PN-EN 1627:2012.
  RC2, Test Certificate No. 479/AW-2023
  RC3, Test Certificate No. 056/AW-2022/Z2

STANDARD EQUIPMENT

RC2 • G-U Multipoint Latch-and-Bolt Lock, 72 mm Handle Center Distance, 4 Locking Points with an Anti-Pry Security Strip in the Door Frame
- Set of 3 Hinges with 3D Adjustment
- 6 Security Pins Locked into Steel Bushings
- 34 dB Acoustic Insulation Package or 44 dB as an Option

RC3 • WINKHAUS Hook Multipoint Lock, 92 mm Handle Center Distance, 4 Locking Points
- Adjustable Anti-Pry Security Strip in the Door Frame
- Set of 4 Hinges with 3D Adjustment
- 6 Security Pins Locked into the Security Strip
- 44 dB Acoustic Insulation Package

- Seals in Both the Door Frame and Door Leaf
- AXA DIVA Handle in Stainless Steel or Antique Gold
- 2 Class B Lock Cylinders in a Master-Key System, Stainless Steel or Antique Finish
- Aluminum Threshold
- Door Viewer: Stainless Steel, Antique Finish, or Black
- Set of Hinge Covers Matched to the Handle Finish

HOTEL DOORS

FIRE-RATED & ACOUSTIC

NEW

S 01



Fire-Rated Acoustic
and Intumescent Seals

Wooden door frame
- Set of 4 3D-adjustable hinges
- 4 anti-pry pins locked into the strip

Steel door frame
- Set of 4 3D-adjustable hinges
- 4 anti-pry pins locked into the strip

MODEL S01	Wooden Door Frame	Steel door frame
PVC Laminate	**Surcharge**	**Surcharge**
Lacquered	**Surcharge**	**Surcharge**
CPL / HPL laminate	**–**	**Based on an individual quote**



drop-down seal – standard



aluminum threshold 90x20 mm – option



Steel door frame – option, page 32



wooden door frame (optional)

* offer available for a single order of a minimum of 10 doors

46 dB

EI 30

Wooden Door Frame



45 dB

EI 30

Adjustable Steel Door Frame



TECHNICAL DESCRIPTION

- stile-and-rail door
- door leaf thickness: 65 mm; fixed wooden frame (100x50 mm) or adjustable steel frame
- wooden frame and door leaf stiles/rails made of laminated timber; finishes: PVC foil or HDF board painted with opaque RAL colors
- steel frame lacquered according to the RAL palette; versions with a steel frame allow for door leaves finished in CPL or HPL laminates (custom designs available)
  aluminum or wooden threshold, or drop-down seal (threshold-free system)
- doors compliant with standards PN-EN 14352-2 and EN 16034

STANDARD EQUIPMENTE

- doors available exclusively with the S 01 flat door leaf model
- adjustable steel frame (FD61), adjustment range 95–125 mm, standard height Hc = 2080
- set of 4 hinges with 3D adjustment
- gaskets in both the frame and the door leaf
- 4 anti-burglary bolts
- single-point fire-rated lock (72x55)
- AXA DIVA handle available in two finishes: inox and antique gold
- high-performance sound-insulating core: 45 dB (steel frame) / 46 dB (wooden frame); fire resistance rating EI30
- surface-mounted door closer (silver)
- drop-down seal
- Class B cylinder
- peephole (inox, patina, or black finish)
- set of hinge covers

APARTMENT DOORS

FIRE-RATED, ACOUSTIC & BURGLARY-RESISTANT

NEW

Barański® SMART

S 01



handle **AXA DIVA**





Fire-Rated Acoustic and Intumescent Seals



RC3 – 2 hook bolts



RC3
- Set of 4 hinges with 3D adjustment
- 6 anti-pry pins locking into the strip

Multi-point lock



RC3 – handle spacing 92 mm

Automatic multipoint lock with strike rail



standard peephole



drop-down seal – option



Aluminum Threshold 90x20 mm - standard



wooden door frame (optional)

* RC3 burglary resistance is met only for the inward-opening door option.

*** offer available for a single order of a minimum of 10 doors**



TECHNICAL DESCRIPTION

- stile-and-rail door
- door leaf thickness: 65 mm; fixed wooden frame: 100x50 mm
- wooden frame and leaf stiles/rails made of laminated timber; finishes: PVC foil or HDF board painted with opaque RAL colors
- aluminum or wooden threshold, or drop-down seal (threshold-free system)
- doors compliant with standards PN-EN 14351/2 and EN 16034

STANDARD EQUIPMENT

- door available exclusively with the S 01 flat door leaf model
- 50x100 mm wooden door frame
- set of 4 hinges with 3D adjustment
- gaskets in both the door frame and the leaf
- 6 anti-burglary pins
- WINKHAUS multi-point hook and latch lock (92 mm handle spacing, 4 locking points)
- adjustable anti-burglary strip in the door frame
- set of 4 anti-burglary hinges with 3D adjustment
- high-performance sound-insulating (46 dB) and fire-resistant (EI30) core
- surface-mounted door closer (silver)
- AXA DIVA handle (available in Inox or antique gold finishes)
- set of 2 Class B cylinders keyed alike (Inox or patina finish)
- aluminum threshold
- peephole (Inox, patina, or black finish)
- set of hinge covers

MODEL S01	Fixed wooden door frame
PVC Laminate	**Surcharge**
Lacquered	**Surcharge**

DOOR FRAMES
FOR APARTMENT ENTRANCE, HOTEL & APARTMENT DOORS

Fixed Rebated Door Frame

Corridor Side View



Apartment Side View



rys. 1





S - Clear Opening Width Ss - Door Leaf Width
Sc - Overall Door Width
So - Wall Opening Width
H - Clear Opening Height
Hs - Door Leaf Height
Hc - Overall Door Height
Ho -Wall Opening Height

APARTMENT ENTRANCE DOORS

Size	S	Ss	Sc	So	H	Hs	Hc	Ho
75	**750**	**802**	**850**	**870**	**1990**	**2005**	**2040**	**2050**
80	**800**	**852**	**900**	**920**	**2020**	**2035**	**2070**	**2080**
85	**850**	**902**	**950**	**970**	**2050**	**2065**	**2100**	**2110**
90	**900**	**952**	**1000**	**1020**				

TECHNICAL FIRE-RESISTANT AND ACOUSTIC; FIRE-RESISTANT, BURGLAR-RESISTANT, AND ACOUSTIC

90	**900**	**952**	**1000**	**1020**	**2020**	**2038**	**2070**	**2080**
95	**950**	**1002**	**1050**	**1070**	**2050**	**2068**	**2100**	**2110**
100	**1000**	**1052**	**1100**	**1120**				

Fixed Rebated Door Frame with an Adjustable Architrave on One Side

Corridor Side View



Apartment Side View



rys. 2



• łączenie opasek 45°



S - Clear Opening Width Ss - Door Leaf Width
Sc - Overall Door Width
So - Wall Opening Width
Sop1 - Overall Door Width Including Architraves (Door Leaf Side)
H - Clear Opening Height
Hs - Door Leaf Height
Hc - Overall Door Height
Ho - Wall Opening Height
Hop1 - Overall Door Height Including Architraves (Door Leaf Side)

Size	S	Ss	Sc	So	Sop1	H	Hs	Hc	Ho	Hop1
75	**750**	**802**	**862**	**880**	**1007**	**1990**	**2005**	**2046**	**2060**	**2119**
80	**800**	**852**	**912**	**930**	**1057**	**2020**	**2035**	**2076**	**2090**	**2149**
85	**850**	**902**	**962**	**980**	**1107**	**2050**	**2065**	**2106**	**2120**	**2179**
90	**900**	**952**	**1012**	**1030**	**1157**					

90	**900**	**952**	**1012**	**1030**	**1157**	**2020**	**2038**	**2076**	**2090**	**2149**
95	**950**	**1002**	**1062**	**1080**	**1207**	**2050**	**2068**	**2106**	**2120**	**2179**
100	**1000**	**1052**	**1112**	**1130**	**1257**					

FOR APARTMENT ENTRANCE, HOTEL, AND APARTMENT DOORS

Adjustable Rebated Door Frame

Corridor-Side View



Apartment-Side View





45° Architrave Joint on the Apartment Side



S - Clear Opening Width
Ss - Door Leaf Width
Sc - Overall Door Width
So - Wall Opening Width
Sop1 - Overall Door Width Including Architraves on the Door Leaf Side
Sop2 - Overall Door Width Including Architraves on the Side Opposite the Door Leaf
H - Clear Opening Height
Hs - Door Leaf Height
Hc - Overall Door Height
Ho - Wall Opening Height
Hop1 - Overall Door Height Including Architraves on the Door Leaf Side
Hop2 - Overall Door Height Including Architraves on the Side Opposite the Door Leaf

APARTMENT ENTRANCE DOORS

Size	S	Ss	Sc	So	Sop1	Sop2	H	Hs	Hc	Ho	Hop1	Hop2
75	**750**	**802**	**862**	**880**	**1007**	**998**						
80	**800**	**852**	**912**	**930**	**1057**	**1048**	**1990**	**2005**	**2046**	**2060**	**2119**	**2114**
85	**850**	**902**	**962**	**980**	**1107**	**1098**	**2020**	**2035**	**2076**	**2090**	**2149**	**2144**
90	**900**	**952**	**1012**	**1030**	**1157**	**1148**	**2050**	**2065**	**2106**	**2120**	**2179**	**2174**

TECHNICAL FIRE-RESISTANT AND ACOUSTIC; FIRE-RESISTANT, BURGLAR-RESISTANT, AND ACOUSTIC

90	**900**	**952**	**1012**	**1030**	**1157**	**1148**						
95	**950**	**1002**	**1062**	**1080**	**1207**	**1198**	**2020**	**2038**	**2076**	**2090**	**2149**	**2144**
100	**1000**	**1052**	**1112**	**1130**	**1257**	**1248**	**2050**	**2068**	**2106**	**2120**	**2179**	**2174**

PLUS Adjustable Rebated Door Frame

Corridor-Side View



Apartment-Side View



Top Architrave 4 mm Thinner Than the Side Architraves

• 90° Architrave Joint on the Corridor Side



45° Architrave Joint on the Apartment Side



Advantages of the PLUS Door Frame:

- No Structural Step in the Door Frame Finish Across the Wall Thickness
- Option to Use One-Piece Panel Architraves Without Visible Joints – p. 24

S - Clear Opening Width
Ss - Door Leaf Width
Sc - Overall Door Width
So - Wall Opening Width
Sop1 - Overall Door Width Including Architraves on the Door Leaf Side
Sop2 - Overall Door Width Including Architraves on the Side Opposite the Door Leaf
H - Clear Opening Height
Hs - Door Leaf Height
Hc - Overall Door Height
Ho - Wall Opening Height
Hop1 - Overall Door Height Including Architraves on the Door Leaf Side
Hop2 - Overall Door Height Including Architraves on the Side Opposite the Door Leaf
G - Wall Thickness

Size	S	Ss	Sc	So	Sop1	Sop2	H	Hs	Hc	Ho	Hop1	Hop2
75	**750**	**802**	**862**	**880**	**1007**	**966**						
80	**800**	**852**	**912**	**930**	**1057**	**1016**	**1990**	**2005**	**2046**	**2060**	**2119**	**2098**
85	**850**	**902**	**962**	**980**	**1107**	**1066**	**2020**	**2035**	**2076**	**2090**	**2149**	**2128**
90	**900**	**952**	**1012**	**1030**	**1157**	**1116**	**2050**	**2065**	**2106**	**2120**	**2179**	**2158**

90	**900**	**952**	**1012**	**1030**	**1157**	**1116**						
95	**950**	**1002**	**1062**	**1080**	**1207**	**1166**	**2020**	**2038**	**2076**	**2090**	**2149**	**2128**
100	**1000**	**1052**	**1112**	**1130**	**1257**	**1216**	**2050**	**2068**	**2106**	**2120**	**2179**	**2158**

TECHNICAL DOORS

HOTEL, FIRE-RATED, AND ACOUSTIC

ADJUSTABLE STEEL DOOR FRAME

Adjustable Rebated Door Frame



rys. 5



S - Clear Opening Width
Ss - Door Leaf Width
Sc - Overall Door Width
So - Wall Opening Width
H - Clear Opening Height
Hs - Door Leaf Height
Hc - Overall Door Height
Ho - Wall Opening Height

Size	S	Ss	Sc	So	H	Hs	Hc	Ho
90	**900**	**952**	**1020**	**970**	**2020** **2050**	**2038** **2068**	**2080** **2110**	**2040** **2070**
95	**950**	**1002**	**1070**	**1020**				
100	**1000**	**1052**	**1120**	**1070**				

Standard Equipment of the Steel Door Frame

- Matte Powder-Coated Finish Included in the Price – RAL 9003, 9010, 9016, 8017, 7047, 1001, 7024
- 1.5 mm Thick Galvanized Steel Sheet
- 4 Adjustable Hinges
- Preparation for a Surface-Mounted Door Closer
- Self-Extinguishing Seal
- Mounting Holes for Wall Anchors

Additional Charges for Steel Door Frames

Door Frame Profile	Adjustment Range and Net Additional Charge	Adjustment Range and Net Additional Charge
F71	95 ÷ 125	Included in the Door Price
F72	125 ÷ 155	YES
F73	155 ÷ 185	YES
F74	185 ÷ 215	YES
F75	215 ÷ 245	YES
F76	245 ÷ 275	YES
F77	275 ÷ 305	YES
F78	305 ÷ 335	YES
F79	335 ÷ 365	YES

Surcharge

- Additional Charge for "100" Width
- Additional Charge for a Height Other Than the Standard Hc = 2080
- Additional Charge for a Non-Standard RAL Color

THRESHOLDS AND ADDITIONAL CHARGES

Barański® SMART

Thresholds*
Apartment Entrance Doors



Aluminum Threshold – Standard



Aluminum Threshold – Standard



Wooden Threshold – Painted to Match the PVC Laminate Color



Painted Wooden Threshold



Full-Width Wooden Threshold – Painted to Match the PVC Laminate Color



Full-Width Painted Wooden Threshold

Threshold Width
7 cm (Standard Size)
from 20 cm
from 30 cm
from 40 cm

*The threshold finish is matched as closely as possible to the PVC laminate but does not exactly replicate its texture or color.

Prices may vary depending on the selected size and finish

Price List for Adjustable Door Frames
Apartment Entrance and Technical Doors

Adjustment Range				
100-120*	120-140*	140-160	160-180	180-200
200-220	220-240	240-260	260-280	280-300
300-320	320-340	340-360	360-380	380-400

* Ranges 100–120 and 120–140 – the set includes adjustable architraves only.

How to Order?

- Barański Smart doors can be ordered through our partners and authorized dealers. Our showroom specialists will help you choose the right door configuration, while our installation technicians will take all necessary measurements and professionally install your doors once they are ready.
- To find your nearest dealer, visit **www.baranskidrzwi.pl** or call us at **+48 55 278 05 40.**

Important!

- **Doors ordered without the standard hardware package (handle, lock cylinders, and door viewer) – PLN 100 discount**
- **Doors with non-standard finishes, dimensions, or accessories are priced individually.**

Additional Charges
– Apartment Entrance Doors

Item
Dimensions
Doors with a Clear Opening Width Other Than 75, 80, 85, or 90 cm (Range: 75–100 cm)
Doors with a Clear Opening Height Other Than 199, 202, or 205 cm (Range: 180–215 cm)
Doors with a Clear Opening Height Other Than 199, 202, or 205 cm (Range: 216–225 cm)
Architraves
PVC Laminate Quarter Round 20 × 16 mm, 1 Set
Painted Quarter Round 20 × 16 mm, 1 Set
Single-Sided Fixed PVC Laminate Architrave, 1 Set
Single-Sided Painted Fixed Architrave, 1 Set
Single-Sided Adjustable PVC Laminate Architrave, 1 Set
Single-Sided Painted Adjustable Architrave, 1 Set
Color
Two-Tone Door Leaf
Two-tone door frame
Custom RAL Color
Other
44 dB Acoustic Insulation
RC2 Burglary-Resistant Door Package
RC3 Burglary-Resistant Door Package (Rw = 44 dB)
Drop Seal
Surface-Mounted Door Closer (Stainless Steel, White, Brown, or Black)
Standard Electric Strike

Door Handing



SINGLE DOOR
LEFT-HAND DOOR LEAF



SINGLE DOOR
RIGHT-HAND DOOR LEAF

TECHNICAL DOORS

UNIVERSAL FIRE-RATED

34 dB | EI 30 EI 60 | S, S_{200}

PP 01



PP 02



PP 03



PP 04



PP 05



Additional Charges
for Fire-Rated Doors

Item
Doors with a Clear Opening Width Other Than 90, 95, or 100 cm (Range: 90–100 cm)
Doors with a Clear Opening Height Other Than 200, 205, or 210 cm (Range: 180–215 cm)
Doors with a Clear Opening Height Other Than 200, 205, or 210 cm (Range: 216–225 cm)
Standard Electric Strike
Reverse Electric Strike (+ Upper Latch) for Single Doors
Reverse Electric Strike (+ Upper Latch, Cable Transfer) for Double Doors
Black Surface-Mounted Door Closer
Concealed Door Closer
Concealed Door Closer with Hold-Open Function
Additional Upper Lock

Item
Smoke Seal in the Door Frame – PLN 110
Single-Sided Fixed PVC Laminate Architrave
Single-Sided Painted Fixed Architrave
Single-Sided Adjustable PVC Laminate Architrave
Single-Sided Painted Adjustable Architrave
Adjustable Door Fram
DORMA KABA PHA 2000 Single-Point Surface-Mounted Panic Exit Device
Door Leaf with Decorative Inserts According to Design
Hotel Lock Installation

Available at an additional cost depending on the selected finish and fire rating. Due to the printing process, the colors shown may differ from the actual product colors. Variations in wood grain patterns and slight differences in shades between individual components are natural characteristics of wood and natural veneers and therefore cannot be guaranteed to be identical. The manufacturer reserves the right to change prices and product availability without prior notice and accepts no responsibility for printing errors. This catalog is published for informational purposes only and does not constitute a binding offer within the meaning of the Civil Code. This edition is valid from April 15, 2026. As of this date, all previous editions covering the same product range become invalid.

The amounts shown are net prices and do not include VAT.

UNIVERSAL FIRE-RATED

Cross-Sections of the Fixed Door Frame for Fire-Rated Doors

EI 30 | 34 dB | S, S_{200}



EI 60 | 34 dB | S, S_{200}



Price List for Adjustable Door Frames Fire-Rated Doors

Adjustment Range					
100-120**	120-140*	140-160	160-180	180-200	200-220
220-240	240-260	260-280	280-300	300-320	320-340
340-360	360-380	380-400			

*Ranges 100–120 and 120–140 – the set includes adjustable architraves only.
**The 100–120 adjustment range is available for EI30 only.

Standard Equipment Fire-Rated Doors

Clear Opening Width: 90, 95, 100 cm
Clear Opening Height: 200, 205, 210 cm
Door Leaf with HALSPAN Particleboard Core: EI30 – **56 mm**, EI60 – **62 mm**
Fixed Door Frame Dimensions: EI30 – 100 × 57 mm, EI60 – 120 × 57 mm
Single-Point Lock
Single Class B Lock Cylinder, Stainless Steel or Antique Finish
Drop Seal
Four Rebated Hinges
Fire-Rated Intumescent Seal in the Door Frame
Surface-Mounted Door Closer
34 dB Acoustic Insulation
Jupiter or Jupiter 225 Handle, Silver (see photos on p. 32)
Hinge Covers

Fixed Door Frame





Fixed Door Frame with an Adjustable Architrave





Adjustable Door Frame





Fire-rated door frame (EI30, EI60): fixed, fixed with adjustable casing, adjustable.												
Size	S	Ss	Sc	So	Sop1	Sop2	H	Hs	Hc	Ho	Hop1	Hop2
90	**900**	**939**	**1014**	**1035**	**1158**	**1150**	**2000**	**2012**	**2057**	**2070**	**2139**	**2125**
95	**950**	**989**	**1064**	**1085**	**1208**	**1200**	**2050**	**2062**	**2107**	**2120**	**2189**	**2175**
100	**1000**	**1039**	**1114**	**1135**	**1258**	**1250**	**2100**	**2112**	**2157**	**2170**	**2239**	**2225**

S - Clear Opening Width
Ss - Door Leaf Width
Sc - Overall Door Width
So - Wall Opening Width
Sop1 - Overall Door Width Including Architraves on the Door Leaf Side
Sop2 - Overall Door Width Including Architraves on the Side Opposite the Door Leaf
H - Clear Opening Height
Hs - Door Leaf Height
Hc - Overall Door Height
Ho - Wall Opening Height
Hop1 - Overall Door Height Including Architraves on the Door Leaf Side
Hop2 - Overall Door Height Including Architraves on the Side Opposite the Door Leaf

Important!

Custom door dimensions for investment and commercial projects are available upon individual quotation.

OPTIONS AND ACCESSORIES

NEW

	MEDOS COMFORT Handle		AXA DIVA Handle		AXA PRESTIGE FLEX Handle	
	Additional Charge / Purchase	Additional Charge / Purchase	Additional Charge / Purchase	Additional Charge / Purchase	Additional Charge / Purchase	Additional Charge / Purchase
Apartment Entrance Door	**Standard**/** YES	YES / YES	YES / YES	YES / YES	YES / YES	YES / YES
RC2 / RC3 Apartment Entrance Doors	– –/ – –	– –/ – –	**Standard**/** YES	YES / YES	YES / YES	YES / YES
Universal Fire-Rated Doors	– –/ – –	– –/ – –	YES / YES	YES / YES	YES / YES	YES / YES
Hotel and Apartment Fire-Rated Doors	– –/ – –	– –/ – –	**Standard**/** YES	YES / YES	YES / YES	YES / YES

Handle / Handle Set



Additional Escutcheon



Stainless Steel

Antique Gold

Black

Handle / Handle Set



Additional Escutcheon



Stainless Steel

Antique Gold

Black

Handle / Handle Set



Additional Escutcheon



Stainless Steel

Antique Gold

Black
Surcharge

Handle / Handle Set



Additional Escutcheon



Stainless Steel

Antique Gold

Handle / Handle Set



Additional Escutcheon



Stainless Steel

Antique Gold

Handle / Handle Set



Additional Escutcheon



Black
Surcharge

*The selected handle is not available for the chosen door configuration.
**Included in the Door Price

OPTIONS AND ACCESSORIES

	JUPITER Handle		Door Lock Cylinders The knob may be round or oval depending on the cylinder type, size, and finish.			Hinge Covers	Door Viewer Standard	Door Viewer Fire-Rated Doors: Standard / Panoramic	
	Additional Charge / Purchase	Additional Charge / Purchase	Additional Charge / Purchase	Additional Charge / Purchase	Additional Charge / Purchase	Additional Charge / Purchase	Additional Charge / Purchase	Additional Charge / Purchase	Additional Charge / Purchase
Apartment Entrance Doors	– –/ – –	– –/ – –	**Standard**/ YES	YES / YES	YES / YES	**Standard**/ YES	**Standard**/ YES	– –/ – –	YES / YES
RC2 / RC3 Apartment Entrance Doors	– –/ – –	– –/ – –	– –/ – –	**Standard**/ YES	YES / YES	**Standard**/ YES	**Standard**/ YES	– –/ – –	YES / YES
Universal Fire-Rated Doors	**Standard**/ YES	YES / YES	– –/ – –	**Standard**/ YES	YES / YES	**Standard**/ YES	– –/ – –	– –/ – –	YES / YES
Hotel and Apartment Fire-Rated Doors	– –/ – –	– –/ – –	– –/ – –	**Standard**/ YES	YES / YES	**Standard**/ YES	– –/ – –	YES / YES	– –/ – –
	Handle / Handle Set	Handle / Fixed Knob Set	Master-Key System with Thumbturn	Class B Master-Key System with Thumbturn					
			 inox  Antique Finish	 inox  Antique Finish	 Black	 inox, Antique Finish, Black	 Nickiel, Antique Finish, Black	 Nickiel, Antique Finish, Black	 inox, Antique Finish, Black
	JOWISZ 225 **JOWISZ**	**225 Fixed Knob**							
	Stainless Steel	Stainless Steel							

Cylinder Sizes

Door Type / Handle type	COMFORT	DIVA / PRESTIGE	JOWISZ
Apartment Entrance Doors	26x45	30x45	–
RC2 / RC3 Apartment Entrance Doors	–	30x45	–
EI30 Fire-Rated Doors	–	35x45	35x45
EI60 Fire-Rated Doors	–	40x45	40x45
Hotel Doors EI30 Rw = 45/46 dB	–	40x50	–
Apartment Doors EI30 Rw = 46 dB, RC3	–	40x50	–

*The selected handle is not available for the chosen door configuration.
**Included in the Door Price

DECORATIVE
PANELS

Panels for Adjustable Architraves
Apartment Entrance and Fire-Rated Doors



YES - Surcharge

	Width	PVC Laminate	Painted
Top	210 mm	**YES**	**YES**
Side	210 mm	**YES**	**YES**

PLUS Adjustable Door Frame Panel Architraves
Apartment Entrance and Fire-Rated Doors



YES - Surcharge

	Width	PVC Laminate	Painted
Top	100 mm	included	included
	150 mm	**YES**	**YES**
	200 mm	**YES**	**YES**
	300 mm	**YES**	**YES**
Side	100 mm	included	included
	150 mm	**YES**	**YES**
	200 mm	**YES**	**YES**
	300 mm	**YES**	**YES**

Wall Panel
Decorative Element



YES - Surcharge

wariant	dimension	PVC Laminate	Painted
STANDARD	1 m²	**YES**	**YES**
FIRE-RATED	1 m²	**YES**	**YES**

Important!

- **Custom panel dimensions for investment projects are available upon individual quotation.**

Prices vary depending on dimensions and finish.



Model: TECHNICAL DOORS
Featured Configuration: Color S01 with Full Side Panel
Finish: PVC Laminate No. 31
Door frame: Adjustable Door Frame with 30 cm Side Panel Architraves
Handle: Jupiter Handle in Stainless Steel

TECHNICAL DOORS

INSTAGRAM

TIK-TOK

KATALOGI

Barański®
DRZWI

www.baranskidrzwi.pl